



Autosomal dominant cerebellar ataxia, deafness, and narcolepsy

Autosomal dominant cerebellar ataxia, deafness, and narcolepsy (ADCADN) is a nervous system disorder with signs and symptoms that usually begin in mid-adulthood and gradually get worse.

People with ADCADN have difficulty coordinating movements (ataxia) and mild to moderate hearing loss caused by abnormalities of the inner ear (sensorineural deafness). Most have excessive daytime sleepiness (narcolepsy). Narcolepsy is typically accompanied by cataplexy, which is a sudden brief loss of muscle tone in response to strong emotion (such as excitement, surprise, or anger). These episodes of muscle weakness can cause an affected person to slump over or fall, which occasionally leads to injury. These characteristic signs and symptoms of ADCADN typically begin in a person's thirties.

Eventually, people with ADCADN also experience a decline of intellectual function (dementia). The cognitive problems often begin with impairment of executive function, which is the ability to plan and implement actions and develop problem-solving strategies. Other features that can occur as the condition worsens include degeneration of the nerves that carry information from the eyes to the brain (optic atrophy); clouding of the lenses of the eyes (cataracts); numbness, tingling, or pain in the arms and legs (sensory neuropathy); puffiness or swelling (lymphedema) of the limbs; an inability to control the bowels or the flow of urine (incontinence); depression; uncontrollable crying or laughing (pseudobulbar signs); or a distorted view of reality (psychosis). Affected individuals usually survive into their forties or fifties.

Frequency

The prevalence of ADCADN is unknown. At least 24 affected individuals have been described in the medical literature.

Causes

ADCADN is caused by mutations in the *DNMT1* gene, which provides instructions for making an enzyme called DNA methyltransferase 1. This enzyme is involved in DNA methylation, which is the addition of methyl groups, consisting of one carbon atom and three hydrogen atoms, to DNA molecules. In particular, the enzyme helps add methyl groups to DNA building blocks (nucleotides) called cytosines.

DNA methyltransferase 1 is active in the adult nervous system. Although its specific role in the nervous system is not well understood, the enzyme may help regulate nerve cell

(neuron) maturation and specialization (differentiation), the ability of neurons to move (migrate) where needed and connect with each other, and neuron survival.

DNMT1 gene mutations that cause ADCADN affect a region of the DNA methyltransferase 1 enzyme that helps target the methylation process to the correct segments of DNA. As a result of these mutations, methylation is abnormal, which affects the expression of multiple genes. Maintenance of the neurons that make up the nervous system is disrupted, leading to the signs and symptoms of ADCADN.

Inheritance Pattern

This condition is inherited in an autosomal dominant pattern, which means one copy of the altered gene in each cell is sufficient to cause the disorder.

In most cases, an affected person inherits the mutation from one affected parent. Other cases result from new mutations in the gene and occur in people with no history of the disorder in their family.

Other Names for This Condition

- ADCA-DN syndrome
- ADCADN
- autosomal dominant cerebellar ataxia-deafness-narcolepsy syndrome
- cerebellar ataxia, deafness, and narcolepsy, autosomal dominant

Diagnosis & Management

Genetic Testing Information

- What is genetic testing?
[/primer/testing/geneticTesting](#)
- Genetic Testing Registry: Cerebellar ataxia, deafness, and narcolepsy, autosomal dominant
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C3807295/>

Research Studies from ClinicalTrials.gov

- ClinicalTrials.gov
<https://clinicaltrials.gov/ct2/results?cond=%22autosomal+dominant+cerebellar+ataxia%2C+deafness%2C+and+narcolepsy%22>

Other Diagnosis and Management Resources

- GeneReview: Hereditary Ataxia Overview
<https://www.ncbi.nlm.nih.gov/books/NBK1138>

Additional Information & Resources

Health Information from MedlinePlus

- Encyclopedia: Movement -- Uncoordinated
<https://medlineplus.gov/ency/article/003198.htm>
- Encyclopedia: Narcolepsy
<https://medlineplus.gov/ency/article/000802.htm>
- Health Topic: Degenerative Nerve Diseases
<https://medlineplus.gov/degenerativenervediseases.html>
- Health Topic: Hearing Disorders and Deafness
<https://medlineplus.gov/hearingdisordersanddeafness.html>
- Health Topic: Sleep Disorders
<https://medlineplus.gov/sleepdisorders.html>

Genetic and Rare Diseases Information Center

- Autosomal dominant cerebellar ataxia, deafness, and narcolepsy
<https://rarediseases.info.nih.gov/diseases/12372/autosomal-dominant-cerebellar-ataxia-deafness-and-narcolepsy>

Additional NIH Resources

- National Heart, Lung, and Blood Institute: What is Narcolepsy?
<https://www.nhlbi.nih.gov/health-topics/narcolepsy>
- National Institute of Neurological Disorders and Stroke: Ataxias and Cerebellar or Spinocerebellar Degeneration
<https://www.ninds.nih.gov/Disorders/All-Disorders/Ataxias-and-Cerebellar-or-Spinocerebellar-Degeneration-Information-Page>
- National Institute of Neurological Disorders and Stroke: Narcolepsy Fact Sheet
<https://www.ninds.nih.gov/Disorders/Patient-Caregiver-Education/Fact-Sheets/Narcolepsy-Fact-Sheet>

Educational Resources

- MalaCards: cerebellar ataxia, deafness, and narcolepsy, autosomal dominant
https://www.malacards.org/card/cerebellar_ataxia_deafness_and_narcolepsy_autosomal_dominant
- Orphanet: Autosomal dominant cerebellar ataxia-deafness-narcolepsy syndrome
https://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=314404
- Washington University of St Louis Neuromuscular Disease Center
<https://neuromuscular.wustl.edu/ataxia/domatax.html#ataxdeafnarc>

Patient Support and Advocacy Resources

- National Ataxia Foundation
<https://ataxia.org/>
- National Sleep Foundation
<https://www.sleepfoundation.org/narcolepsy/what-narcolepsy>
- University of Kansas Medical Center Resource List: Deafness and Hard of Hearing
<http://www.kumc.edu/GEC/support/hearing.html>

Clinical Information from GeneReviews

- Hereditary Ataxia Overview
<https://www.ncbi.nlm.nih.gov/books/NBK1138>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28autosomal+dominant+cerebellar+ataxia,+deafness,+and+narcolepsy%5BTIAB%5D%29+AND+english%5Bla%5D+AND+human%5Bmh%5D>

Catalog of Genes and Diseases from OMIM

- CEREBELLAR ATAXIA, DEAFNESS, AND NARCOLEPSY, AUTOSOMAL DOMINANT
<http://omim.org/entry/604121>

Medical Genetics Database from MedGen

- Autosomal dominant cerebellar ataxia-deafness-narcolepsy syndrome
<https://www.ncbi.nlm.nih.gov/medgen/831116>

Sources for This Summary

- Baets J, Duan X, Wu Y, Smith G, Seeley WW, Mademan I, McGrath NM, Beadell NC, Khoury J, Botuyan MV, Mer G, Worrell GA, Hojo K, DeLeon J, Laura M, Liu YT, Senderek J, Weis J, Van den Bergh P, Merrill SL, Reilly MM, Houlden H, Grossman M, Scherer SS, De Jonghe P, Dyck PJ, Klein CJ. Defects of mutant DNMT1 are linked to a spectrum of neurological disorders. *Brain*. 2015 Apr; 138(Pt 4):845-61. doi: 10.1093/brain/awv010. Epub 2015 Feb 11.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/25678562>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5014076/>
- Kernohan KD, Cigana Schenkel L, Huang L, Smith A, Pare G, Ainsworth P; Care4Rare Canada Consortium, Boycott KM, Warman-Chardon J, Sadikovic B. Identification of a methylation profile for DNMT1-associated autosomal dominant cerebellar ataxia, deafness, and narcolepsy. *Clin Epigenetics*. 2016 Sep 5;8:91. doi: 10.1186/s13148-016-0254-x. eCollection 2016.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/27602171>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5011850/>

- Moghadam KK, Pizza F, La Morgia C, Franceschini C, Tonon C, Lodi R, Barboni P, Seri M, Ferrari S, Liguori R, Donadio V, Parchi P, Cornelio F, Inzitari D, Mignarri A, Capocchi G, Dotti MT, Winkelmann J, Lin L, Mignot E, Carelli V, Plazzi G. Narcolepsy is a common phenotype in HSN IE and ADCA-DN. *Brain*. 2014 Jun;137(Pt 6):1643-55. doi: 10.1093/brain/awu069. Epub 2014 Apr 10. *Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/24727570>
 - Walker LA, Bourque P, Smith AM, Warman Chardon J. Autosomal dominant cerebellar ataxia, deafness, and narcolepsy (ADCA-DN) associated with progressive cognitive and behavioral deterioration. *Neuropsychology*. 2017 Mar;31(3):292-303. doi: 10.1037/neu0000322. Epub 2016 Nov 21. *Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/27869457>
 - Winkelmann J, Lin L, Schormair B, Kornum BR, Faraco J, Plazzi G, Melberg A, Cornelio F, Urban AE, Pizza F, Poli F, Grubert F, Wieland T, Graf E, Hallmayer J, Strom TM, Mignot E. Mutations in DNMT1 cause autosomal dominant cerebellar ataxia, deafness and narcolepsy. *Hum Mol Genet*. 2012 May 15;21(10):2205-10. doi: 10.1093/hmg/ddc035. Epub 2012 Feb 9. *Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/22328086>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3465691/>
-

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/autosomal-dominant-cerebellar-ataxia-deafness-and-narcolepsy>

Reviewed: July 2017

Published: May 14, 2019

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services