



Congenital insensitivity to pain

Congenital insensitivity to pain is a condition that inhibits the ability to perceive physical pain. From birth, affected individuals never feel pain in any part of their body when injured. People with this condition can feel the difference between sharp and dull and hot and cold, but cannot sense, for example, that a hot beverage is burning their tongue. This lack of pain awareness often leads to an accumulation of wounds, bruises, broken bones, and other health issues that may go undetected. Young children with congenital insensitivity to pain may have mouth or finger wounds due to repeated self-biting and may also experience multiple burn-related injuries. These repeated injuries often lead to a reduced life expectancy in people with congenital insensitivity to pain. Many people with congenital insensitivity to pain also have a complete loss of the sense of smell (anosmia).

Congenital insensitivity to pain is considered a form of peripheral neuropathy because it affects the peripheral nervous system, which connects the brain and spinal cord to muscles and to cells that detect sensations such as touch, smell, and pain.

Frequency

Congenital insensitivity to pain is a rare condition; about 20 cases have been reported in the scientific literature.

Causes

Mutations in the *SCN9A* gene cause congenital insensitivity to pain. The *SCN9A* gene provides instructions for making one part (the alpha subunit) of a sodium channel called NaV1.7. Sodium channels transport positively charged sodium atoms (sodium ions) into cells and play a key role in a cell's ability to generate and transmit electrical signals. NaV1.7 sodium channels are found in nerve cells called nociceptors that transmit pain signals to the spinal cord and brain. The NaV1.7 channel is also found in olfactory sensory neurons, which are nerve cells in the nasal cavity that transmit smell-related signals to the brain.

The *SCN9A* gene mutations that cause congenital insensitivity to pain result in the production of nonfunctional alpha subunits that cannot be incorporated into NaV1.7 channels. As a result, the channels cannot be formed. The absence of NaV1.7 channels impairs the transmission of pain signals from the site of injury to the brain, causing those affected to be insensitive to pain. Loss of this channel in olfactory sensory neurons likely impairs the transmission of smell-related signals to the brain, leading to anosmia.

Inheritance Pattern

This condition is inherited in an autosomal recessive pattern, which means both copies of the gene in each cell have mutations. The parents of an individual with an autosomal recessive condition each carry one copy of the mutated gene, but they typically do not show signs and symptoms of the condition.

Other Names for This Condition

- asymbolia for pain
- channelopathy-associated insensitivity to pain
- CIP
- congenital analgesia
- congenital indifference to pain
- congenital pain indifference
- indifference to pain, congenital, autosomal recessive
- pain insensitivity, congenital

Diagnosis & Management

Genetic Testing Information

- What is genetic testing?
[/primer/testing/genetictesting](#)
- Genetic Testing Registry: Indifference to pain, congenital, autosomal recessive
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1855739/>

Research Studies from ClinicalTrials.gov

- ClinicalTrials.gov
<https://clinicaltrials.gov/ct2/results?cond=%22congenital+insensitivity+to+pain%22>

Other Diagnosis and Management Resources

- GeneReview: Congenital Insensitivity to Pain Overview
<https://www.ncbi.nlm.nih.gov/books/NBK481553>

Additional Information & Resources

Health Information from MedlinePlus

- Encyclopedia: Smell--Impaired
<https://medlineplus.gov/ency/article/003052.htm>
- Health Topic: Pain
<https://medlineplus.gov/pain.html>
- Health Topic: Peripheral Nerve Disorders
<https://medlineplus.gov/peripheralnervedisorders.html>

Genetic and Rare Diseases Information Center

- Congenital insensitivity to pain
<https://rarediseases.info.nih.gov/diseases/12267/congenital-insensitivity-to-pain>

Additional NIH Resources

- National Institute of Neurological Disorders and Stroke: Peripheral Neuropathy Information Page
<https://www.ninds.nih.gov/Disorders/All-Disorders/Peripheral-Neuropathy-Information-Page>

Educational Resources

- Johns Hopkins Medicine: Peripheral Neuropathy
<https://www.hopkinsmedicine.org/health/conditions-and-diseases/peripheral-neuropathy>
- Merck Manual Consumer Version: Nociceptive Pain
<https://www.merckmanuals.com/home/brain,-spinal-cord,-and-nerve-disorders/pain/nociceptive-pain>
- Orphanet: Channelopathy-associated congenital insensitivity to pain
https://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=88642
- Washington University, St. Louis Neuromuscular Disease Center
<https://neuromuscular.wustl.edu/time/hsn.htm#painexp>

Patient Support and Advocacy Resources

- The Foundation for Peripheral Neuropathy
<https://www.foundationforpn.org/>

Clinical Information from GeneReviews

- Congenital Insensitivity to Pain Overview
<https://www.ncbi.nlm.nih.gov/books/NBK481553>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28congenital+insensitivity+to+pain%5BTIAB%5D%29+OR+%28congenital+indifference+to+pain%5BTIAB%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+1800+days%22%5Bdp%5D>

Catalog of Genes and Diseases from OMIM

- INDIFFERENCE TO PAIN, CONGENITAL, AUTOSOMAL RECESSIVE
<http://omim.org/entry/243000>

Sources for This Summary

- Dabby R. Pain disorders and erythromelalgia caused by voltage-gated sodium channel mutations. *Curr Neurol Neurosci Rep.* 2012 Feb;12(1):76-83. doi: 10.1007/s11910-011-0233-8. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/21984269>
- Fischer TZ, Waxman SG. Familial pain syndromes from mutations of the NaV1.7 sodium channel. *Ann N Y Acad Sci.* 2010 Jan;1184:196-207. doi: 10.1111/j.1749-6632.2009.05110.x. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/20146699>
- Lampert A, O'Reilly AO, Reeh P, Leffler A. Sodium channelopathies and pain. *Pflugers Arch.* 2010 Jul;460(2):249-63. doi: 10.1007/s00424-009-0779-3. Epub 2010 Jan 26. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/20101409>
- Zufall F, Pyrski M, Weiss J, Leinders-Zufall T. Link between pain and olfaction in an inherited sodium channelopathy. *Arch Neurol.* 2012 Sep;69(9):1119-23. doi: 10.1001/archneurol.2012.21. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/22733046>

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/congenital-insensitivity-to-pain>

Reviewed: November 2012

Published: May 14, 2019

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services