



Cutis laxa

Cutis laxa is a disorder of connective tissue, which is the tissue that forms the body's supportive framework. Connective tissue provides structure and strength to the muscles, joints, organs, and skin.

The term "cutis laxa" is Latin for loose or lax skin, and this condition is characterized by skin that is sagging and not stretchy (inelastic). The skin often hangs in loose folds, causing the face and other parts of the body to have a droopy appearance. Extremely wrinkled skin may be particularly noticeable on the neck and in the armpits and groin.

Cutis laxa can also affect connective tissue in other parts of the body, including the heart, blood vessels, joints, intestines, and lungs. The disorder can cause heart problems and abnormal narrowing, bulging, or tearing of critical arteries. Affected individuals may have soft out-pouchings in the lower abdomen (inguinal hernia) or around the belly button (umbilical hernia). Pouches called diverticula can also develop in the walls of certain organs, such as the bladder and intestines. During childhood, some people with cutis laxa develop a lung disease called emphysema, which can make it difficult to breathe. Depending on which organs and tissues are affected, the signs and symptoms of cutis laxa can range from mild to life-threatening.

Researchers have described several different forms of cutis laxa. The forms are often distinguished by their pattern of inheritance: autosomal dominant, autosomal recessive, or X-linked. In general, the autosomal recessive forms of cutis laxa tend to be more severe than the autosomal dominant forms. In addition to the features described above, some people with autosomal recessive cutis laxa have delayed development, intellectual disability, seizures, and problems with movement that can worsen over time.

The X-linked form of cutis laxa is often called occipital horn syndrome. This form of the disorder is considered a mild type of Menkes syndrome, which is a condition that affects copper levels in the body. In addition to sagging and inelastic skin, occipital horn syndrome is characterized by wedge-shaped calcium deposits in a bone at the base of the skull (the occipital bone), coarse hair, and loose joints.

Frequency

Cutis laxa is a rare disorder. About 200 affected families worldwide have been reported.

Genetic Changes

Cutis laxa can be caused by mutations in several genes, including *ATP6V0A2*, *ATP7A*, *EFEMP2*, *ELN*, and *FBLN5*. Most of these genes are involved in the formation and function of elastic fibers, which are slender bundles of proteins that provide strength and flexibility to connective tissue throughout the body. Elastic fibers allow the skin to

stretch, the lungs to expand and contract, and arteries to handle blood flowing through them at high pressure.

The major component of elastic fibers, a protein called elastin, is produced from the *ELN* gene. Other proteins that appear to have critical roles in the assembly of elastic fibers are produced from the *EFEMP2*, *FBLN5*, and *ATP6V0A2* genes. Mutations in any of these genes disrupt the formation, assembly, or function of elastic fibers. A shortage of these fibers weakens connective tissue in the skin, arteries, lungs, and other organs. These defects in connective tissue underlie the major features of cutis laxa.

Occipital horn syndrome is caused by mutations in the *ATP7A* gene. This gene provides instructions for making a protein that is important for regulating copper levels in the body. Mutations in the *ATP7A* gene result in poor distribution of copper to the body's cells. A reduced supply of copper can decrease the activity of numerous copper-containing enzymes that are necessary for the structure and function of bone, skin, hair, blood vessels, and the nervous system. The signs and symptoms of occipital horn syndrome are caused by the reduced activity of these copper-containing enzymes.

Mutations in the genes described above account for only a small percentage of all cases of cutis laxa. Mutations in other genes, some of which have not been identified, can also cause the condition.

Rare cases of cutis laxa are acquired, which means they do not appear to be caused by inherited gene mutations. Acquired cutis laxa appears later in life and is related to the destruction of normal elastic fibers. The causes of acquired cutis laxa are unclear, although it may occur as a side effect of treatment with medications that remove copper from the body (copper chelating drugs).

Inheritance Pattern

Cutis laxa can have an autosomal dominant, autosomal recessive, or X-linked recessive pattern of inheritance.

When cutis laxa is caused by *ELN* mutations, it has an autosomal dominant inheritance pattern. Autosomal dominant inheritance means one copy of the altered gene in each cell is sufficient to cause the disorder. Rarely, cases of cutis laxa resulting from *FBLN5* mutations can also have an autosomal dominant pattern of inheritance.

Researchers have described at least three forms of autosomal recessive cutis laxa, which result from mutations in several different genes. Autosomal recessive inheritance means both copies of the gene in each cell have mutations. The parents of an individual with an autosomal recessive condition each carry one copy of the mutated gene, but they typically do not show signs and symptoms of the condition.

Occipital horn syndrome has an X-linked recessive pattern of inheritance. It results from mutations in the *ATP7A* gene, which is located on the X chromosome. The X chromosome is one of the two sex chromosomes. In males (who have only one X chromosome), one altered copy of the gene in each cell is sufficient to cause the condition. In females (who have two X chromosomes), a mutation would have to occur

in both copies of the gene to cause the disorder. Because it is unlikely that females will have two altered copies of this gene, males are affected by X-linked recessive disorders much more frequently than females. A characteristic of X-linked inheritance is that fathers cannot pass X-linked traits to their sons.

Other Names for This Condition

- dermatolysis
- dermatomegaly

Diagnosis & Management

Genetic Testing

- Genetic Testing Registry: Cutis laxa with osteodystrophy
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C0268355/>
- Genetic Testing Registry: Cutis laxa, autosomal dominant
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C0268350/>
- Genetic Testing Registry: Cutis laxa, autosomal recessive
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C0268351/>
- Genetic Testing Registry: Cutis laxa, X-linked
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C0268353/>

Other Diagnosis and Management Resources

- GeneReview: ATP6V0A2-Related Cutis Laxa
<https://www.ncbi.nlm.nih.gov/books/NBK5200>
- GeneReview: ATP7A-Related Copper Transport Disorders
<https://www.ncbi.nlm.nih.gov/books/NBK1413>
- GeneReview: EFEMP2-Related Cutis Laxa
<https://www.ncbi.nlm.nih.gov/books/NBK54467>
- GeneReview: FBLN5-Related Cutis Laxa
<https://www.ncbi.nlm.nih.gov/books/NBK5201>
- MedlinePlus Encyclopedia: Colon Diverticula (image)
https://medlineplus.gov/ency/presentations/100158_2.htm
- MedlinePlus Encyclopedia: Emphysema (image)
<https://medlineplus.gov/ency/imagepages/17055.htm>
- MedlinePlus Encyclopedia: Hernia
<https://medlineplus.gov/ency/article/000960.htm>

General Information from MedlinePlus

- Diagnostic Tests
<https://medlineplus.gov/diagnostictests.html>
- Drug Therapy
<https://medlineplus.gov/drugtherapy.html>
- Genetic Counseling
<https://medlineplus.gov/geneticcounseling.html>
- Palliative Care
<https://medlineplus.gov/palliativecare.html>
- Surgery and Rehabilitation
<https://medlineplus.gov/surgeryandrehabilitation.html>

Additional Information & Resources

MedlinePlus

- Encyclopedia: Colon Diverticula (image)
https://medlineplus.gov/ency/presentations/100158_2.htm
- Encyclopedia: Emphysema (image)
<https://medlineplus.gov/ency/imagepages/17055.htm>
- Encyclopedia: Hernia
<https://medlineplus.gov/ency/article/000960.htm>
- Health Topic: Connective Tissue Disorders
<https://medlineplus.gov/connectivetissuedisorders.html>

Genetic and Rare Diseases Information Center

- Cutis laxa
<https://rarediseases.info.nih.gov/diseases/6227/cutis-laxa>
- Occipital horn syndrome
<https://rarediseases.info.nih.gov/diseases/4017/occipital-horn-syndrome>

Additional NIH Resources

- National Institute of Arthritis and Musculoskeletal and Skin Diseases: Heritable Disorders of Connective Tissue
<https://www.niams.nih.gov/health-topics/heritable-disorders-connective-tissue>

Educational Resources

- Disease InfoSearch: Cutis Laxa
<http://www.diseaseinfosearch.org/Cutis+Laxa/2053>
- Disease InfoSearch: Cutis Laxa, Dominant Type
<http://www.diseaseinfosearch.org/Cutis+Laxa%2C+Dominant+Type/2056>

- Disease InfoSearch: Cutis Laxa, Recessive
<http://www.diseaseinfosearch.org/Cutis+Laxa%2C+Recessive/2057>
- MalaCards: cutis laxa
http://www.malacards.org/card/cutis_laxa
- Merck Manual Consumer Version
<https://www.merckmanuals.com/home/children-s-health-issues/connective-tissue-disorders-in-children/cutis-laxa>
- Orphanet: Acquired cutis laxa
https://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=228285
- Orphanet: Cutis laxa
https://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=209

Patient Support and Advocacy Resources

- Cutis Laxa Internationale
<http://www.cutislaxa.org/en/>
- Cutis Laxa Research Study, University of Pittsburgh
<http://cutislaxa.pitt.edu/>
- National Organization for Rare Disorders (NORD)
<https://rarediseases.org/rare-diseases/cutis-laxa/>
- Resource list from the University of Kansas Medical Center
<http://www.kumc.edu/gec/support/connect.html>

GeneReviews

- ATP6V0A2-Related Cutis Laxa
<https://www.ncbi.nlm.nih.gov/books/NBK5200>
- ATP7A-Related Copper Transport Disorders
<https://www.ncbi.nlm.nih.gov/books/NBK1413>
- EFEMP2-Related Cutis Laxa
<https://www.ncbi.nlm.nih.gov/books/NBK54467>
- FBLN5-Related Cutis Laxa
<https://www.ncbi.nlm.nih.gov/books/NBK5201>

ClinicalTrials.gov

- ClinicalTrials.gov
<https://clinicaltrials.gov/ct2/results?cond=%22cutis+laxa%22>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28Cutis+Laxa%5BMAJR%5D%29+AND+%28cutis+laxa%5BTIAB%5D%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+1800+days%22%5Bdp%5D>

OMIM

- CUTIS LAXA, AUTOSOMAL DOMINANT 1
<http://omim.org/entry/123700>
- CUTIS LAXA, AUTOSOMAL DOMINANT 2
<http://omim.org/entry/614434>
- CUTIS LAXA, AUTOSOMAL DOMINANT 3
<http://omim.org/entry/616603>
- CUTIS LAXA, AUTOSOMAL RECESSIVE, TYPE IA
<http://omim.org/entry/219100>
- CUTIS LAXA, AUTOSOMAL RECESSIVE, TYPE IB
<http://omim.org/entry/614437>
- CUTIS LAXA, AUTOSOMAL RECESSIVE, TYPE IC
<http://omim.org/entry/613177>
- CUTIS LAXA, AUTOSOMAL RECESSIVE, TYPE IIA
<http://omim.org/entry/219200>
- CUTIS LAXA, AUTOSOMAL RECESSIVE, TYPE IIB
<http://omim.org/entry/612940>
- CUTIS LAXA, AUTOSOMAL RECESSIVE, TYPE IIIA
<http://omim.org/entry/219150>
- CUTIS LAXA, AUTOSOMAL RECESSIVE, TYPE IIIB
<http://omim.org/entry/614438>
- CUTIS LAXA, NEONATAL, WITH MARFANOID PHENOTYPE
<http://omim.org/entry/614100>
- OCCIPITAL HORN SYNDROME
<http://omim.org/entry/304150>

MedGen

- Cutis laxa
<https://www.ncbi.nlm.nih.gov/medgen/8206>
- Cutis laxa with osteodystrophy
<https://www.ncbi.nlm.nih.gov/medgen/82795>

- Cutis laxa, acquired type
<https://www.ncbi.nlm.nih.gov/medgen/590500>
- Cutis laxa, autosomal dominant
<https://www.ncbi.nlm.nih.gov/medgen/120630>
- Cutis laxa, autosomal recessive
<https://www.ncbi.nlm.nih.gov/medgen/78663>
- Inherited cutis laxa
<https://www.ncbi.nlm.nih.gov/medgen/609465>

Sources for This Summary

- Berk DR, Bentley DD, Bayliss SJ, Lind A, Urban Z. Cutis laxa: a review. *J Am Acad Dermatol.* 2012 May;66(5):842.e1-17. doi: 10.1016/j.jaad.2011.01.004. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/22387031>
- Kaler SG. ATP7A-Related Copper Transport Disorders. 2003 May 9 [updated 2016 Aug 18]. In: Pagon RA, Adam MP, Ardinger HH, Wallace SE, Amemiya A, Bean LJH, Bird TD, Ledbetter N, Mefford HC, Smith RJH, Stephens K, editors. *GeneReviews®* [Internet]. Seattle (WA): University of Washington, Seattle; 1993-2017. Available from <http://www.ncbi.nlm.nih.gov/books/NBK1413/>
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/20301586>
- Kaler SG. Metabolic and molecular bases of Menkes disease and occipital horn syndrome. *Pediatr Dev Pathol.* 1998 Jan-Feb;1(1):85-98. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/10463276>
- Mohamed M, Voet M, Gardeitchik T, Morava E. Cutis Laxa. *Adv Exp Med Biol.* 2014;802:161-84. doi: 10.1007/978-94-007-7893-1_11. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/24443027>
- Urban Z, Davis EC. Cutis laxa: intersection of elastic fiber biogenesis, TGF β signaling, the secretory pathway and metabolism. *Matrix Biol.* 2014 Jan;33:16-22. doi: 10.1016/j.matbio.2013.07.006. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/23954411>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4109627/>
- Urban Z. The complexity of elastic fiber biogenesis: the paradigm of cutis laxa. *J Invest Dermatol.* 2012 Nov 15;132(E1):E12-4. doi: 10.1038/skinbio.2012.4. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/23154624>
- Van Maldergem L, Dobyns W, Kornak U. ATP6V0A2-Related Cutis Laxa. 2009 Mar 19 [updated 2015 Feb 12]. In: Pagon RA, Adam MP, Ardinger HH, Wallace SE, Amemiya A, Bean LJH, Bird TD, Ledbetter N, Mefford HC, Smith RJH, Stephens K, editors. *GeneReviews®* [Internet]. Seattle (WA): University of Washington, Seattle; 1993-2017. Available from <http://www.ncbi.nlm.nih.gov/books/NBK5200/>
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/20301755>
- Van Maldergem L, Loeys B. FBLN5-Related Cutis Laxa. 2009 Mar 19 [updated 2014 Mar 13]. In: Pagon RA, Adam MP, Ardinger HH, Wallace SE, Amemiya A, Bean LJH, Bird TD, Ledbetter N, Mefford HC, Smith RJH, Stephens K, editors. *GeneReviews®* [Internet]. Seattle (WA): University of Washington, Seattle; 1993-2017. Available from <http://www.ncbi.nlm.nih.gov/books/NBK5201/>
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/20301756>

Reprinted from Genetics Home Reference:
<https://ghr.nlm.nih.gov/condition/cutis-laxa>

Reviewed: March 2017
Published: June 12, 2018

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services