



Farsightedness

Farsightedness, also known as hyperopia, is an eye condition that causes blurry near vision. People who are farsighted have more trouble seeing things that are close up (such as when reading or using a computer) than things that are far away (such as when driving).

For normal vision, light passes through the clear cornea at the front of the eye and is focused by the lens onto the surface of the retina, which is the lining of the back of the eye that contains light-sensing cells. Some people who are farsighted have eyeballs that are too short from front to back. Others have a cornea or lens that is abnormally shaped. These changes cause light entering the eye to be focused too far back, behind the retina instead of on its surface. It is this difference that causes nearby objects to appear blurry. In a person with this condition, one eye may be more farsighted than the other.

If it is not treated with corrective lenses or surgery, farsightedness can lead to eye strain, excess tearing, squinting, frequent blinking, headaches, difficulty reading, and problems with hand-eye coordination. However, some children with the eye changes characteristic of farsightedness do not notice any blurring of their vision or related signs and symptoms early in life. Other parts of the visual system are able to compensate, at least temporarily, for the changes that would otherwise cause light to be focused in the wrong place.

Most infants are born with a mild degree of farsightedness, which goes away on its own as the eyes grow. In some children, farsightedness persists or is more severe. Children with a severe degree of farsightedness, described as high hyperopia, are at an increased risk of developing other eye conditions, particularly "lazy eye" (amblyopia) and eyes that do not look in the same direction (strabismus). These conditions can cause significant visual impairment.

In general, older adults also have difficulty seeing things close up; this condition is known as presbyopia. Presbyopia develops as the lens of the eye becomes thicker and less flexible with age and the muscles surrounding the lens weaken. Although it is sometimes described as "farsightedness," presbyopia is caused by a different mechanism than hyperopia and is considered a separate condition.

Frequency

Farsightedness is a relatively common vision abnormality, although it is much less common than nearsightedness (myopia) or presbyopia. The prevalence of hyperopia decreases with age: most infants are farsighted at birth, but less than 4 percent of children have the condition at age 1. The prevalence continues to decrease into adulthood. Most cases are mild. For unknown reasons, farsightedness is reported more

frequently among Native Americans, African Americans, and Pacific Islanders than in people of other backgrounds.

Causes

Farsightedness is a complex condition. Multiple genetic variations, each with a small effect, likely influence whether a person is farsighted. Few genes associated with the condition have been identified, and none of the identified genes appears to play a major role in the development of farsightedness. At least some of the genes that influence farsightedness play roles in eye development, particularly in determining the length of the eyeball from front to back (also known as the axial length). It is possible that environmental factors also contribute to a person's risk of being farsighted, but these have not been well-studied.

In many farsighted people, this vision problem is not part of a larger genetic syndrome. However, farsightedness (especially high hyperopia) can be a feature of other disorders with a genetic cause. Genetic conditions with farsightedness as a characteristic feature include microphthalmia, achromatopsia, aniridia, Leber congenital amaurosis, X-linked juvenile retinoschisis, Senior-Løken syndrome, Gorlin-Chaudhry-Moss syndrome, Down syndrome, and fragile X syndrome.

Inheritance Pattern

Farsightedness is a complex condition that usually does not have a clear pattern of inheritance. The risk of developing this condition is greater for first-degree relatives of affected individuals (such as siblings or children) as compared to the general public.

When farsightedness is a feature of a genetic syndrome, it follows the inheritance pattern of that syndrome.

Other Names for This Condition

- far-sightedness
- farsighted
- hypermetropia
- hyperopia
- long-sighted
- long-sightedness

Diagnosis & Management

Formal Treatment/Management Guidelines

- American Optometric Association: Optometric Clinical Practice Guideline: Care of the Patient with Hyperopia
<https://www.aoa.org/documents/optometrists/CPG-16.pdf>

Genetic Testing Information

- What is genetic testing?
[/primer/testing/genetictesting](#)
- Genetic Testing Registry: Hyperopia, high
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1855925/>

Research Studies from ClinicalTrials.gov

- ClinicalTrials.gov
<https://clinicaltrials.gov/ct2/results?cond=%22farsightedness%22+OR+%22Hyperopia%22+OR+%22hypermetropia%22>

Other Diagnosis and Management Resources

- American Academy of Ophthalmology: Hyperopia Diagnosis
<https://www.aaopt.org/eye-health/diseases/hyperopia-farsightedness-diagnosis>
- American Academy of Ophthalmology: Hyperopia Treatment
<https://www.aaopt.org/eye-health/diseases/hyperopia-farsightedness-treatment>
- American Optometric Association: Find a Doctor
<https://www.aoa.org/doctor-locator-search>
- American Optometric Association: Quick Reference Guide: Care of the Patient with Hyperopia
<https://www.aoa.org/documents/optometrists/QRG-16.pdf>
- MedlinePlus Medical Tests: Vision Screening
<https://medlineplus.gov/lab-tests/vision-screening/>

Additional Information & Resources

Health Information from MedlinePlus

- Encyclopedia: Farsightedness
<https://medlineplus.gov/ency/article/001020.htm>
- Health Topic: Refractive Errors
<https://medlineplus.gov/refractiveerrors.html>
- Medical Tests: Vision Screening
<https://medlineplus.gov/lab-tests/vision-screening/>

Additional NIH Resources

- National Eye Institute: Facts About Hyperopia
<https://nei.nih.gov/health/errors/hyperopia>

Educational Resources

- American Academy of Ophthalmology
<https://www.aao.org/eye-health/diseases/hyperopia-farsightedness>
- American Optometric Association
<https://www.aoa.org/patients-and-public/eye-and-vision-problems/glossary-of-eye-and-vision-conditions/hyperopia>
- KidsHealth from the Nemours Foundation: Your Child's Vision
<https://kidshealth.org/en/parents/vision.html>
- MalaCards: hyperopia, high
https://www.malacards.org/card/hyperopia_high
- NHS Choices (UK)
<https://www.nhs.uk/conditions/Long-sightedness/>
- Orphanet: Syndromic hyperopia
https://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=98622
- University of Michigan Kellogg Eye Center
<https://www.umkelloggeye.org/conditions-treatments/hyperopia-farsightedness>

Patient Support and Advocacy Resources

- Prevent Blindness
<https://www.preventblindness.org/>

Scientific Articles on PubMed

- PubMed
https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28farsightedness%5BTI%5D%29+OR+%28hyperopia%5BTI%5D%29+OR+%28hypermetropia%5BTI%5D%29+OR+%28hyperopia%5BMAJR%5D%29%29+AND+%28%28genetic*%5BTIAB%5D%29+OR+%28gene%5BTIAB%5D%29+OR+%28genes%5BTIAB%5D%29%29+AND+english%5BIa%5D+AND+human%5Bmh%5D

Catalog of Genes and Diseases from OMIM

- HYPEROPIA, HIGH
<http://omim.org/entry/238950>

Medical Genetics Database from MedGen

- Hypermetropia
<https://www.ncbi.nlm.nih.gov/medgen/43780>

Sources for This Summary

- Castagno VD, Fassa AG, Carret ML, Vilela MA, Meucci RD. Hyperopia: a meta-analysis of prevalence and a review of associated factors among school-aged children. *BMC Ophthalmol.* 2014 Dec 23;14:163. doi: 10.1186/1471-2415-14-163. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/25539893>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4391667/>
- Jiang D, Yang Z, Li S, Xiao X, Jia X, Wang P, Guo X, Liu X, Zhang Q. Evaluation of PRSS56 in Chinese subjects with high hyperopia or primary angle-closure glaucoma. *Mol Vis.* 2013 Nov 7;19:2217-26. eCollection 2013.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/24227917>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3820428/>
- Simpson CL, Wojciechowski R, Oexle K, Murgia F, Portas L, Li X, Verhoeven VJ, Vitart V, Schache M, Hosseini SM, Hysi PG, Raffel LJ, Cotch MF, Chew E, Klein BE, Klein R, Wong TY, van Duijn CM, Mitchell P, Saw SM, Fossarello M, Wang JJ; DCCT/EDIC Research Group, Polasek O, Campbell H, Rudan I, Oostra BA, Uitterlinden AG, Hofman A, Rivadeneira F, Amin N, Karssen LC, Vingerling JR, Döring A, Bettecken T, Bencic G, Gieger C, Wichmann HE, Wilson JF, Venturini C, Fleck B, Cumberland PM, Rahi JS, Hammond CJ, Hayward C, Wright AF, Paterson AD, Baird PN, Klaver CC, Rotter JI, Pirastu M, Meitinger T, Bailey-Wilson JE, Stambolian D. Genome-wide meta-analysis of myopia and hyperopia provides evidence for replication of 11 loci. *PLoS One.* 2014 Sep 18;9(9):e107110. doi: 10.1371/journal.pone.0107110. eCollection 2014.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/25233373>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4169415/>
- Xu Y, Guan L, Xiao X, Zhang J, Li S, Jiang H, Jia X, Yin Y, Guo X, Yang Z, Zhang Q. Identification of MFRP Mutations in Chinese Families with High Hyperopia. *Optom Vis Sci.* 2016 Jan;93(1):19-26. doi: 10.1097/OPX.0000000000000751.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/26583794>

Reprinted from Genetics Home Reference:
<https://ghr.nlm.nih.gov/condition/farsightedness>

Reviewed: September 2018
Published: May 14, 2019

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services