



## Gnathodiaphyseal dysplasia

Gnathodiaphyseal dysplasia is a disorder that affects the bones. People with this condition have reduced bone mineral density (osteopenia), which causes the bones to be unusually fragile. As a result, affected individuals typically experience multiple bone fractures in childhood, often from mild trauma or with no apparent cause.

While most bone tissue is less dense than normal in gnathodiaphyseal dysplasia, the outer layer (cortex) of the shafts of the long bones in the arms and legs is abnormally hard and thick (diaphyseal sclerosis). Bowing of the long bones also occurs in this disorder.

Jaw problems are common in gnathodiaphyseal dysplasia; the prefix "gnatho-" in the condition name refers to the jaw. Affected individuals may develop bone infections (osteomyelitis) in the jaw, which can lead to pain, swelling, discharge of pus from the gums, loose teeth, and slow healing after teeth are lost or extracted. Areas of the jawbone may lose the protective coverage of the gums, which can result in deterioration of the exposed bone (osteonecrosis of the jaw). Also, normal bone in areas of the jaw may be replaced by fibrous tissue and a hard material called cementum, which normally surrounds the roots of teeth and anchors them in the jaw. These areas of abnormal bone, called cementoosseous lesions, may be present at birth or develop later in life.

When gnathodiaphyseal dysplasia was first described, it was thought to be a variation of another bone disorder called osteogenesis imperfecta, which is also characterized by frequent bone fractures. However, gnathodiaphyseal dysplasia is now generally considered to be a separate condition. Unlike in osteogenesis imperfecta, the fractures in gnathodiaphyseal dysplasia heal normally without causing deformity or loss of height.

### Frequency

The prevalence of gnathodiaphyseal dysplasia is unknown, but it is thought to be a rare disorder. A few affected individuals and families have been described in the medical literature.

### Causes

Gnathodiaphyseal dysplasia is caused by mutations in the *ANO5* gene, which provides instructions for making a protein called anoctamin-5. While the specific function of this protein is not well understood, it belongs to a family of proteins, called anoctamins, that act as chloride channels. Studies suggest that most anoctamin channels are turned on (activated) in the presence of positively charged calcium atoms (calcium ions); these channels are known as calcium-activated chloride channels. The mechanism for this calcium activation is unclear.

The *ANO5* gene mutations that have been identified in people with gnathodiaphyseal dysplasia change single protein building blocks (amino acids) in the anoctamin-5 protein. It is unclear how these protein changes lead to the fragile bones, jaw problems, and other skeletal abnormalities that occur in gnathodiaphyseal dysplasia. Researchers suggest that the mutations may affect the way cells process calcium, an important mineral in bone development and growth.

## **Inheritance Pattern**

This condition is inherited in an autosomal dominant pattern, which means one copy of the altered gene in each cell is sufficient to cause the disorder.

## **Other Names for This Condition**

- GDD
- gnathodiaphyseal sclerosis
- Levin syndrome 2
- osteogenesis imperfecta with unusual skeletal lesions
- osteogenesis imperfecta, Levin type

## **Diagnosis & Management**

### Genetic Testing Information

- What is genetic testing?  
[/primer/testing/genetic-testing](#)
- Genetic Testing Registry: Gnathodiaphyseal dysplasia  
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1833736/>

### Other Diagnosis and Management Resources

- MedlinePlus Encyclopedia: Bone Mineral Density Testing  
<https://medlineplus.gov/ency/article/007197.htm>

## **Additional Information & Resources**

### Health Information from MedlinePlus

- Encyclopedia: Bone Mineral Density Testing  
<https://medlineplus.gov/ency/article/007197.htm>
- Encyclopedia: Bowlegs  
<https://medlineplus.gov/ency/article/001585.htm>
- Encyclopedia: Skeletal Limb Abnormalities  
<https://medlineplus.gov/ency/article/003170.htm>

- Health Topic: Bone Density  
<https://medlineplus.gov/bonedensity.html>
- Health Topic: Bone Diseases  
<https://medlineplus.gov/bonediseases.html>

#### Genetic and Rare Diseases Information Center

- Gnathodiaphyseal dysplasia  
<https://rarediseases.info.nih.gov/diseases/8698/gnathodiaphyseal-dysplasia>

#### Additional NIH Resources

- National Institute of Arthritis and Musculoskeletal and Skin Diseases: Heritable Disorders of Connective Tissue  
<https://www.niams.nih.gov/health-topics/heritable-disorders-connective-tissue>
- National Institute of Arthritis and Musculoskeletal and Skin Diseases: Osteonecrosis  
<https://www.niams.nih.gov/health-topics/osteonecrosis>

#### Educational Resources

- American College of Rheumatology: Osteonecrosis of the Jaw  
<https://www.rheumatology.org/I-Am-A/Patient-Caregiver/Diseases-Conditions/Osteonecrosis-of-the-Jaw-ONJ>
- MalaCards: gnathodiaphyseal dysplasia  
[https://www.malacards.org/card/gnathodiaphyseal\\_dysplasia](https://www.malacards.org/card/gnathodiaphyseal_dysplasia)
- Orphanet: Orphanet: Gnathodiaphyseal dysplasia  
[https://www.orpha.net/consor/cgi-bin/OC\\_Exp.php?Lng=EN&Expert=53697](https://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=53697)
- TeensHealth: Osteomyelitis  
<https://kidshealth.org/en/teens/osteomyelitis.html>

#### Patient Support and Advocacy Resources

- Children's Craniofacial Association  
<https://ccakids.org/>

#### Scientific Articles on PubMed

- PubMed  
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28gnathodiaphyseal+dysplasia%5BTIAB%5D%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+3600+days%22%5Bdp%5D>

#### Catalog of Genes and Diseases from OMIM

- GNATHODIAPHYSEAL DYSPLASIA  
<http://omim.org/entry/166260>

## Sources for This Summary

- Ahluwalia J, Ly JQ, Norman E, Costello RF Jr, Beall DP. Gnathodiaphyseal dysplasia. Clin Imaging. 2007 Jan-Feb;31(1):67-9.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/17189853>
- Herman TE, Siegel MJ, Sargar K. Gnathodiaphyseal dysplasia. J Perinatol. 2014 May;34(5):412-4.  
doi: 10.1038/jp.2013.178.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/24776605>
- Marconi C, Brunamonti Binello P, Badiali G, Caci E, Cusano R, Garibaldi J, Pippucci T, Merlini A, Marchetti C, Rhoden KJ, Galiotta LJ, Lalatta F, Balbi P, Seri M. A novel missense mutation in ANO5/TMEM16E is causative for gnathodiaphyseal dysplasia in a large Italian pedigree. Eur J Hum Genet. 2013 Jun;21(6):613-9. doi: 10.1038/ejhg.2012.224. Epub 2012 Oct 10.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/23047743>  
*Free article on PubMed Central:* <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3658193/>
- Riminucci M, Collins MT, Corsi A, Boyde A, Murphey MD, Wientroub S, Kuznetsov SA, Cherman N, Robey PG, Bianco P. Gnathodiaphyseal dysplasia: a syndrome of fibro-osseous lesions of jawbones, bone fragility, and long bone bowing. J Bone Miner Res. 2001 Sep;16(9):1710-8.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/11547842>
- Tsutsumi S, Kamata N, Vokes TJ, Maruoka Y, Nakakuki K, Enomoto S, Omura K, Amagasa T, Nagayama M, Saito-Ohara F, Inazawa J, Moritani M, Yamaoka T, Inoue H, Itakura M. The novel gene encoding a putative transmembrane protein is mutated in gnathodiaphyseal dysplasia (GDD). Am J Hum Genet. 2004 Jun;74(6):1255-61. Epub 2004 Apr 29.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/15124103>  
*Free article on PubMed Central:* <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1182089/>

---

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/gnathodiaphyseal-dysplasia>

Reviewed: December 2014

Published: August 17, 2020

Lister Hill National Center for Biomedical Communications  
U.S. National Library of Medicine  
National Institutes of Health  
Department of Health & Human Services