



Leukoencephalopathy with brainstem and spinal cord involvement and lactate elevation

Leukoencephalopathy with brainstem and spinal cord involvement and lactate elevation (commonly referred to as LBSL) is a progressive disorder that affects the brain and spinal cord. Leukoencephalopathy refers to abnormalities in the white matter of the brain, which is tissue containing nerve cell fibers (axons) that transmit nerve impulses.

Most affected individuals begin to develop movement problems during childhood or adolescence. However, in some individuals, these problems do not develop until adulthood. People with LBSL have abnormal muscle stiffness (spasticity) and difficulty with coordinating movements (ataxia). In addition, affected individuals lose the ability to sense the position of their limbs or vibrations with their limbs. These movement and sensation problems affect the legs more than the arms, making walking difficult. Most affected individuals eventually require wheelchair assistance, sometimes as early as their teens, although the age varies.

People with LBSL can have other signs and symptoms of the condition. Some affected individuals develop recurrent seizures (epilepsy), speech difficulties (dysarthria), learning problems, or mild deterioration of mental functioning. Some people with this disorder are particularly vulnerable to severe complications following minor head trauma, which may trigger a loss of consciousness, other reversible neurological problems, or fever.

Distinct changes in the brains of people with LBSL can be seen using magnetic resonance imaging (MRI). These characteristic abnormalities typically involve particular parts of the white matter of the brain and specific regions (called tracts) within the brainstem and spinal cord, especially the pyramidal tract and the dorsal column. In addition, most affected individuals have a high level of a substance called lactate in the white matter of the brain, which is identified using another test called magnetic resonance spectroscopy (MRS).

Frequency

LBSL is a rare condition. Its exact prevalence is not known.

Causes

LBSL is caused by mutations in the *DARS2* gene, which provides instructions for making an enzyme called mitochondrial aspartyl-tRNA synthetase. This enzyme is important in the production (synthesis) of proteins in cellular structures called mitochondria, the energy-producing centers in cells. While most protein synthesis

occurs in the fluid surrounding the nucleus (cytoplasm), some proteins are synthesized in the mitochondria.

During protein synthesis, in either the mitochondria or the cytoplasm, building blocks (amino acids) are connected together in a specific order, creating a chain of amino acids that forms the protein. Mitochondrial aspartyl-tRNA synthetase plays a role in adding the amino acid aspartic acid at the proper place in mitochondrial proteins.

Mutations in the *DARS2* gene result in decreased mitochondrial aspartyl-tRNA synthetase enzyme activity, which hinders the addition of aspartic acid to mitochondrial proteins. It is unclear how the gene mutations lead to the signs and symptoms of LBSL. Researchers do not understand why reduced activity of mitochondrial aspartyl-tRNA synthetase specifically affects certain parts of the brain and spinal cord.

Inheritance Pattern

LBSL is inherited in an autosomal recessive pattern, which means both copies of the gene in each cell have mutations. In this condition, each copy of the gene carries a different mutation (compound heterozygous mutations). An affected individual never has the same mutation in both copies of the gene (a homozygous mutation). The parents of an individual with an autosomal recessive condition each carry one copy of the mutated gene, but they typically do not show signs and symptoms of the condition.

Other Names for This Condition

- LBSL
- mitochondrial aspartyl-tRNA synthetase deficiency

Diagnosis & Management

Genetic Testing Information

- What is genetic testing?
[/primer/testing/genetic-testing](#)
- Genetic Testing Registry: Leukoencephalopathy with Brainstem and Spinal Cord Involvement and Lactate Elevation
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1970180/>

Research Studies from ClinicalTrials.gov

- ClinicalTrials.gov
<https://clinicaltrials.gov/ct2/results?cond=%22leukoencephalopathy+with+brain+stem+and+spinal+cord+involvement+and+lactate+elevation%22>

Other Diagnosis and Management Resources

- GeneReview: Leukoencephalopathy with Brain Stem and Spinal Cord Involvement and Lactate Elevation
<https://www.ncbi.nlm.nih.gov/books/NBK43417>

Additional Information & Resources

Health Information from MedlinePlus

- Encyclopedia: Head MRI
<https://medlineplus.gov/ency/article/003791.htm>
- Encyclopedia: Movement - Uncoordinated
<https://medlineplus.gov/ency/article/003198.htm>
- Health Topic: Genetic Brain Disorders
<https://medlineplus.gov/geneticbraindisorders.html>
- Health Topic: Movement Disorders
<https://medlineplus.gov/movementdisorders.html>

Genetic and Rare Diseases Information Center

- Leukoencephalopathy with brain stem and spinal cord involvement and lactate elevation
<https://rarediseases.info.nih.gov/diseases/12652/leukoencephalopathy-with-brain-stem-and-spinal-cord-involvement-and-lactate-elevation>

Additional NIH Resources

- National Institute of Neurological Disorders and Stroke: Ataxias and Cerebellar or Spinocerebellar Degeneration Information Page
<https://www.ninds.nih.gov/Disorders/All-Disorders/Ataxias-and-Cerebellar-or-Spinocerebellar-Degeneration-Information-Page>

Educational Resources

- MalaCards: leukoencephalopathy with brainstem and spinal cord involvement and lactate elevation
https://www.malacards.org/card/leukoencephalopathy_with_brainstem_and_spinal_cord_involvement_and_lactate_elevation
- Orphanet: Leukoencephalopathy with brain stem and spinal cord involvement-high lactate syndrome
https://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=137898
- VU University Medical Center (Netherlands)
<https://www.vumc.com/departments/center-for-children-with-white-matter-disorders/white-matter-disorders-classification.htm>

Patient Support and Advocacy Resources

- National Ataxia Foundation
<https://ataxia.org/>

Clinical Information from GeneReviews

- Leukoencephalopathy with Brain Stem and Spinal Cord Involvement and Lactate Elevation
<https://www.ncbi.nlm.nih.gov/books/NBK43417>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28leukoencephalopathy+with+brainstem+and+spinal+cord+involvement+and+lactate+elevation%29+OR+%28leukoencephalopathy+with+brain+stem+and+spinal+cord+involvement+and+lactate+elevation%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+3600+days%22%5Bdp%5D>

Catalog of Genes and Diseases from OMIM

- LEUKOENCEPHALOPATHY WITH BRAINSTEM AND SPINAL CORD INVOLVEMENT AND LACTATE ELEVATION
<http://omim.org/entry/611105>

Sources for This Summary

- Lin J, Chiconelli Faria E, Da Rocha AJ, Rodrigues Masruha M, Pereira Vilanova LC, Scheper GC, Van der Knaap MS. Leukoencephalopathy with brainstem and spinal cord involvement and normal lactate: a new mutation in the DARS2 gene. *J Child Neurol.* 2010 Nov;25(11):1425-8. doi: 10.1177/0883073810370897. Epub 2010 May 25.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/20501884>
- Scheper GC, van der Klok T, van Andel RJ, van Berkel CG, Sissler M, Smet J, Muravina TI, Serkov SV, Uziel G, Bugiani M, Schiffmann R, Krägeloh-Mann I, Smeitink JA, Florentz C, Van Coster R, Pronk JC, van der Knaap MS. Mitochondrial aspartyl-tRNA synthetase deficiency causes leukoencephalopathy with brain stem and spinal cord involvement and lactate elevation. *Nat Genet.* 2007 Apr;39(4):534-9. Epub 2007 Mar 25.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/17384640>
- Uluc K, Baskan O, Yildirim KA, Ozsahin S, Koseoglu M, Isak B, Scheper GC, Gunal DI, van der Knaap MS. Leukoencephalopathy with brain stem and spinal cord involvement and high lactate: a genetically proven case with distinct MRI findings. *J Neurol Sci.* 2008 Oct 15;273(1-2):118-22. doi: 10.1016/j.jns.2008.06.002. Epub 2008 Jul 10.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/18619624>
- van der Knaap MS, Salomons GS. Leukoencephalopathy with Brain Stem and Spinal Cord Involvement and Lactate Elevation. 2010 May 25 [updated 2015 Feb 12]. In: Pagon RA, Adam MP, Ardinger HH, Wallace SE, Amemiya A, Bean LJH, Bird TD, Ledbetter N, Mefford HC, Smith RJH, Stephens K, editors. *GeneReviews®* [Internet]. Seattle (WA): University of Washington, Seattle; 1993-2017. Available from <http://www.ncbi.nlm.nih.gov/books/NBK43417/>
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/20506600>
- van der Knaap MS, van der Voorn P, Barkhof F, Van Coster R, Krägeloh-Mann I, Feigenbaum A, Blaser S, Vles JS, Rieckmann P, Pouwels PJ. A new leukoencephalopathy with brainstem and spinal cord involvement and high lactate. *Ann Neurol.* 2003 Feb;53(2):252-8.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/12557294>

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/leukoencephalopathy-with-brainstem-and-spinal-cord-involvement-and-lactate-elevation>

Reviewed: August 2011

Published: May 14, 2019

Lister Hill National Center for Biomedical Communications

U.S. National Library of Medicine

National Institutes of Health

Department of Health & Human Services