



Pfeiffer syndrome

Pfeiffer syndrome is a genetic disorder characterized by the premature fusion of certain skull bones (craniosynostosis). This early fusion prevents the skull from growing normally and affects the shape of the head and face. Pfeiffer syndrome also affects bones in the hands and feet.

Many of the characteristic facial features of Pfeiffer syndrome result from premature fusion of the skull bones. Abnormal growth of these bones leads to bulging and wide-set eyes, a high forehead, an underdeveloped upper jaw, and a beaked nose. More than half of all children with Pfeiffer syndrome have hearing loss; dental problems are also common.

In people with Pfeiffer syndrome, the thumbs and first (big) toes are wide and bend away from the other digits. Unusually short fingers and toes (brachydactyly) are also common, and there may be some webbing or fusion between the digits (syndactyly).

Pfeiffer syndrome is divided into three subtypes. Type 1, also known as classic Pfeiffer syndrome, has symptoms as described above. Most individuals with type 1 Pfeiffer syndrome have normal intelligence and a normal life span. Types 2 and 3 are more severe forms of Pfeiffer syndrome that often involve problems with the nervous system. The premature fusion of skull bones can limit brain growth, leading to delayed development and other neurological problems. Type 2 is distinguished from type 3 by the presence of a cloverleaf-shaped head, which is caused by more extensive fusion of bones in the skull.

Frequency

Pfeiffer syndrome affects about 1 in 100,000 individuals.

Genetic Changes

Pfeiffer syndrome results from mutations in the *FGFR1* or *FGFR2* gene. These genes provide instructions for making proteins known as fibroblast growth receptors 1 and 2. Among their multiple functions, these proteins signal immature cells to become bone cells during embryonic development. A mutation in either the *FGFR1* or *FGFR2* gene alters protein function and causes prolonged signaling, which can promote the premature fusion of skull bones and affect the development of bones in the hands and feet.

Type 1 Pfeiffer syndrome is caused by mutations in either the *FGFR1* or *FGFR2* gene. Types 2 and 3 are caused by mutations in the *FGFR2* gene, and have not been associated with changes in the *FGFR1* gene.

Inheritance Pattern

This condition is inherited in an autosomal dominant pattern, which means one copy of the altered gene in each cell is sufficient to cause the disorder.

Other Names for This Condition

- acrocephalosyndactyly, type V
- ACS V
- ACS5
- Craniofacial-skeletal-dermatologic dysplasia
- Noack syndrome

Diagnosis & Management

These resources address the diagnosis or management of Pfeiffer syndrome:

- GeneReview: FGFR-Related Craniosynostosis Syndromes
<https://www.ncbi.nlm.nih.gov/books/NBK1455>
- Genetic Testing Registry: Pfeiffer syndrome
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1863356/>
- MedlinePlus Encyclopedia: Craniosynostosis
<https://medlineplus.gov/ency/article/001590.htm>
- MedlinePlus Encyclopedia: Webbing of fingers or toes
<https://medlineplus.gov/ency/article/003289.htm>

These resources from MedlinePlus offer information about the diagnosis and management of various health conditions:

- Diagnostic Tests
<https://medlineplus.gov/diagnostictests.html>
- Drug Therapy
<https://medlineplus.gov/drugtherapy.html>
- Surgery and Rehabilitation
<https://medlineplus.gov/surgeryandrehabilitation.html>
- Genetic Counseling
<https://medlineplus.gov/geneticcounseling.html>
- Palliative Care
<https://medlineplus.gov/palliativecare.html>

Additional Information & Resources

MedlinePlus

- Encyclopedia: Craniosynostosis
<https://medlineplus.gov/ency/article/001590.htm>
- Encyclopedia: Webbing of fingers or toes
<https://medlineplus.gov/ency/article/003289.htm>
- Health Topic: Craniofacial Abnormalities
<https://medlineplus.gov/craniofacialabnormalities.html>

Genetic and Rare Diseases Information Center

- Pfeiffer syndrome
<https://rarediseases.info.nih.gov/diseases/7380/pfeiffer-syndrome>

Additional NIH Resources

- National Institute of Neurological Disorders and Stroke: Craniosynostosis Information Page
<https://www.ninds.nih.gov/Disorders/All-Disorders/Craniosynostosis-Information-Page>

Educational Resources

- Boston Children's Hospital
<http://www.childrenshospital.org/conditions-and-treatments/conditions/pfeiffer-syndrome>
- Cincinnati Children's Hospital Medical Center: Craniosynostosis
<https://www.cincinnatichildrens.org/health/c/craniosynostosis>
- Collaboration for Craniofacial Development and Disorders, Johns Hopkins University
http://www.hopkinsmedicine.org/neurology_neurosurgery/centers_clinics/pediatric_neurosurgery/conditions/craniosynostosis/
- Disease InfoSearch: Pfeiffer syndrome
<http://www.diseaseinfosearch.org/Pfeiffer+syndrome/5702>
- MalaCards: pfeiffer syndrome
http://www.malacards.org/card/pfeiffer_syndrome
- Orphanet: Pfeiffer syndrome
http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=710
- The Craniofacial Center, Dallas, Texas
<http://thecraniofacialcenter.com/pfeiffer.html>

Patient Support and Advocacy Resources

- AmeriFace
<http://www.ameriface.org/>
- Children's Craniofacial Association
<http://www.ccakids.com>
- National Organization for Rare Disorders (NORD)
<http://rarediseases.org/rare-diseases/pfeiffer-syndrome/>
- Resource list from the University of Kansas Medical Center
<http://www.kumc.edu/gec/support/craniofa.html>

GeneReviews

- FGFR-Related Craniosynostosis Syndromes
<https://www.ncbi.nlm.nih.gov/books/NBK1455>

Genetic Testing Registry

- Pfeiffer syndrome
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1863356/>

ClinicalTrials.gov

- ClinicalTrials.gov
<https://clinicaltrials.gov/ct2/results?cond=%22pfeiffer+syndrome%22+OR+%22craniosynostoses%22+OR+%22acrocephalosyndactylia%22>

Scientific articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28pfeiffer+syndrome%5BTIAB%5D%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+1800+days%22%5Bdp%5D>

OMIM

- PFEIFFER SYNDROME
<http://omim.org/entry/101600>

Sources for This Summary

- Chen L, Deng CX. Roles of FGF signaling in skeletal development and human genetic diseases. *Front Biosci.* 2005 May 1;10:1961-76. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/15769677>
- Cornejo-Roldan LR, Roessler E, Muenke M. Analysis of the mutational spectrum of the FGFR2 gene in Pfeiffer syndrome. *Hum Genet.* 1999 May;104(5):425-31.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/10394936>

- Harb E, Kran B. Pfeiffer syndrome: systemic and ocular implications. *Optometry*. 2005 Jul;76(7):352-62. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/16038862>
 - Vogels A, Fryns JP. Pfeiffer syndrome. *Orphanet J Rare Dis*. 2006 Jun 1;1:19. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/16740155>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1482682/>
 - Wilkie AO, Patey SJ, Kan SH, van den Ouweland AM, Hamel BC. FGFs, their receptors, and human limb malformations: clinical and molecular correlations. *Am J Med Genet*. 2002 Oct 15;112(3):266-78. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/12357470>
-

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/pfeiffer-syndrome>

Reviewed: February 2008

Published: December 28, 2016

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services