



Primary coenzyme Q10 deficiency

Primary coenzyme Q10 deficiency is a disorder that can affect many parts of the body, especially the brain, muscles, and kidneys. As its name suggests, the disorder involves a shortage (deficiency) of a substance called coenzyme Q10.

The severity, combination of signs and symptoms, and age of onset of primary coenzyme Q10 deficiency vary widely. In the most severe cases, the condition becomes apparent in infancy and causes severe brain dysfunction combined with muscle weakness (encephalomyopathy) and the failure of other body systems. These problems can be life-threatening. The mildest cases of primary coenzyme Q10 deficiency can begin as late as a person's sixties and often cause cerebellar ataxia, which refers to problems with coordination and balance due to defects in the part of the brain that is involved in coordinating movement (cerebellum). Other neurological abnormalities that can occur in primary coenzyme Q10 deficiency include seizures, intellectual disability, poor muscle tone (hypotonia), involuntary muscle contractions (dystonia), progressive muscle stiffness (spasticity), abnormal eye movements (nystagmus), vision loss caused by degeneration (atrophy) of the optic nerves or breakdown of the light-sensing tissue at the back of the eyes (retinopathy), and sensorineural hearing loss (which is caused by abnormalities in the inner ear). The neurological problems gradually get worse unless treated with coenzyme Q10 supplementation.

A type of kidney dysfunction called nephrotic syndrome is another common feature of primary coenzyme Q10 deficiency. It can occur with or without neurological abnormalities. Nephrotic syndrome occurs when damage to the kidneys impairs their function, which allows protein from the blood to pass into the urine (proteinuria). Other signs and symptoms of nephrotic syndrome include increased cholesterol in the blood (hypercholesterolemia), an abnormal buildup of fluid in the abdominal cavity (ascites), and swelling (edema). Affected individuals may also have blood in the urine (hematuria), which can lead to a reduced number of red blood cells in the body (anemia), abnormal blood clotting, or reduced amounts of certain white blood cells. Low white blood cell counts can lead to a weakened immune system and frequent infections in people with nephrotic syndrome. If not treated with coenzyme Q10 supplementation, affected individuals eventually develop irreversible kidney failure (end-stage renal disease).

A type of heart disease that enlarges and weakens the heart muscle (hypertrophic cardiomyopathy) can also occur in primary coenzyme Q10 deficiency.

Frequency

The prevalence of primary coenzyme Q10 deficiency is thought to be less than 1 in 100,000 people.

Genetic Changes

Primary coenzyme Q10 deficiency is caused by mutations in genes that provide instructions for making proteins involved in the production (synthesis) of a molecule called coenzyme Q10. Collectively, they are called the COQ genes. Most of the identified mutations have occurred in the *COQ2*, *COQ4*, *COQ6*, *COQ8A*, and *COQ8B* genes. Smaller numbers of mutations in other COQ genes have also been found to cause primary coenzyme Q10 deficiency.

The coenzyme Q10 molecule has several critical functions in cells throughout the body. In cell structures called mitochondria, coenzyme Q10 plays an essential role in a process called oxidative phosphorylation, which converts the energy from food into a form cells can use. Coenzyme Q10 is also involved in producing pyrimidines, which are building blocks of DNA, its chemical cousin RNA, and molecules such as ATP and GTP that serve as energy sources in the cell. In cell membranes, coenzyme Q10 acts as an antioxidant, protecting cells from damage caused by unstable oxygen-containing molecules (free radicals), which are byproducts of energy production.

Some mutations in the COQ genes greatly reduce or eliminate the production of the corresponding proteins; others change the structure of a protein, impairing its function. A lack of functional protein produced from any one of the COQ genes decreases the normal production of coenzyme Q10. Studies suggest that a shortage (deficiency) of coenzyme Q10 impairs oxidative phosphorylation and increases the vulnerability of cells to damage from free radicals. A deficiency of coenzyme Q10 may also disrupt the production of pyrimidines. These changes can cause cells throughout the body to malfunction, which may help explain the variety of organs and tissues that can be affected by primary coenzyme Q10 deficiency.

Coenzyme Q10 deficiency can also be caused by mutations in genes that are not directly related to the synthesis of coenzyme Q10. In these cases, the condition is referred to as secondary coenzyme Q10 deficiency. Secondary coenzyme Q10 deficiency is a common feature of certain other genetic conditions.

Inheritance Pattern

This condition is inherited in an autosomal recessive pattern, which means both copies of a gene in each cell have mutations. The parents of an individual with an autosomal recessive condition each carry one copy of the mutated gene, but they typically do not show signs and symptoms of the condition.

Other Names for This Condition

- coenzyme Q deficiency
- CoQ deficiency
- primary CoQ10 deficiency
- ubiquinone deficiency

Diagnosis & Management

Other Diagnosis and Management Resources

- GeneReview: Primary Coenzyme Q10 Deficiency
<https://www.ncbi.nlm.nih.gov/books/NBK410087>
- Muscular Dystrophy Association: Mitochondrial Myopathies -- Diagnosis
<https://www.mda.org/disease/mitochondrial-myopathies/diagnosis>
- Muscular Dystrophy Association: Mitochondrial Myopathies -- Medical Management
<https://www.mda.org/disease/mitochondrial-myopathies/medical-management>
- North American Mitochondrial Disease Consortium
<https://www.rarediseasesnetwork.org/cms/NAMDC>

General Information from MedlinePlus

- Diagnostic Tests
<https://medlineplus.gov/diagnostictests.html>
- Drug Therapy
<https://medlineplus.gov/drugtherapy.html>
- Genetic Counseling
<https://medlineplus.gov/geneticcounseling.html>
- Palliative Care
<https://medlineplus.gov/palliativecare.html>
- Surgery and Rehabilitation
<https://medlineplus.gov/surgeryandrehabilitation.html>

Additional Information & Resources

MedlinePlus

- Encyclopedia: Movement -- Uncoordinated
<https://medlineplus.gov/ency/article/003198.htm>
- Encyclopedia: Nephrotic Syndrome
<https://medlineplus.gov/ency/article/000490.htm>

- Health Topic: Kidney Diseases
<https://medlineplus.gov/kidneydiseases.html>
- Health Topic: Mitochondrial Diseases
<https://medlineplus.gov/mitochondrialdiseases.html>

Genetic and Rare Diseases Information Center

- Autosomal recessive spinocerebellar ataxia 9
<https://rarediseases.info.nih.gov/diseases/10294/autosomal-recessive-spinocerebellar-ataxia-9>
- Coenzyme Q10 deficiency
<https://rarediseases.info.nih.gov/diseases/10423/coenzyme-q10-deficiency>

Additional NIH Resources

- National Institute of Neurological Disorders and Stroke: Ataxias and Cerebellar or Spinocerebellar Degeneration
<https://www.ninds.nih.gov/Disorders/All-Disorders/Ataxias-and-Cerebellar-or-Spinocerebellar-Degeneration-Information-Page>
- National Institute of Neurological Disorders and Stroke: Mitochondrial Myopathy Fact Sheet
<https://www.ninds.nih.gov/Disorders/Patient-Caregiver-Education/Fact-Sheets/Mitochondrial-Myopathy-Fact-Sheet>

Educational Resources

- Disease InfoSearch: Coenzyme Q10 Deficiency
<http://www.diseaseinfosearch.org/Coenzyme+Q10+Deficiency/1707>
- MalaCards: coenzyme q10 deficiency disease
http://www.malacards.org/card/coenzyme_q10_deficiency_disease
- Muscular Dystrophy Association: Facts About Mitochondrial Myopathies
https://www.mda.org/sites/default/files/publications/Facts_MITO_P-216.pdf
- National Kidney Foundation: Nephrotic Syndrome
<https://www.kidney.org/atoz/content/nephrotic>
- Orphanet: Autosomal recessive ataxia due to ubiquinone deficiency
http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=139485

Patient Support and Advocacy Resources

- National Ataxia Foundation
<https://ataxia.org/>
- National Kidney Foundation
<https://www.kidney.org/>
- United Mitochondrial Disease Foundation
<http://www.umdf.org/>

GeneReviews

- Primary Coenzyme Q10 Deficiency
<https://www.ncbi.nlm.nih.gov/books/NBK410087>

ClinicalTrials.gov

- ClinicalTrials.gov
<https://clinicaltrials.gov/ct2/results?cond=%22primary+coenzyme+Q10+deficiency%22+OR+%22coenzyme+q+deficiency%22+OR+%22primary+CoQ10+deficiency%22+OR+%22ubiquinone+deficiency%22>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28coenzyme+Q10+deficiency%5BTIAB%5D%29+NOT+%28%28secondary%5BTIAB%5D%29+OR+%28acquired%5BTIAB%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D>

OMIM

- COENZYME Q10 DEFICIENCY, PRIMARY, 1
<http://omim.org/entry/607426>
- COENZYME Q10 DEFICIENCY, PRIMARY, 2
<http://omim.org/entry/614651>
- COENZYME Q10 DEFICIENCY, PRIMARY, 3
<http://omim.org/entry/614652>
- COENZYME Q10 DEFICIENCY, PRIMARY, 4
<http://omim.org/entry/612016>
- COENZYME Q10 DEFICIENCY, PRIMARY, 5
<http://omim.org/entry/614654>
- COENZYME Q10 DEFICIENCY, PRIMARY, 6
<http://omim.org/entry/614650>
- COENZYME Q10 DEFICIENCY, PRIMARY, 7
<http://omim.org/entry/616276>

- COENZYME Q10 DEFICIENCY, PRIMARY, 7
<http://omim.org/entry/616276>
- COENZYME Q10 DEFICIENCY, PRIMARY, 8
<http://omim.org/entry/616733>
- NEPHROTIC SYNDROME, TYPE 9
<http://omim.org/entry/615573>

Sources for This Summary

- Acosta MJ, Vazquez Fonseca L, Desbats MA, Cerqua C, Zordan R, Trevisson E, Salviati L. Coenzyme Q biosynthesis in health and disease. *Biochim Biophys Acta*. 2016 Aug;1857(8):1079-85. doi: 10.1016/j.bbabbio.2016.03.036. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/27060254>
- Desbats MA, Lunardi G, Doimo M, Trevisson E, Salviati L. Genetic bases and clinical manifestations of coenzyme Q10 (CoQ 10) deficiency. *J Inherit Metab Dis*. 2015 Jan;38(1):145-56. doi: 10.1007/s10545-014-9749-9. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/25091424>
- Doimo M, Desbats MA, Cerqua C, Cassina M, Trevisson E, Salviati L. Genetics of coenzyme q10 deficiency. *Mol Syndromol*. 2014 Jul;5(3-4):156-62. doi: 10.1159/000362826.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/25126048>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4112527/>
- Emmanuele V, López LC, Berardo A, Naini A, Tadesse S, Wen B, D'Agostino E, Solomon M, DiMauro S, Quinzii C, Hirano M. Heterogeneity of coenzyme Q10 deficiency: patient study and literature review. *Arch Neurol*. 2012 Aug;69(8):978-83. doi: 10.1001/archneurol.2012.206. Review. Erratum in: *Arch Neurol*. 2012 Jul;69(7):886. López, Luis [corrected to López, Luis C].
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/22490322>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3639472/>
- Laredj LN, Licitra F, Puccio HM. The molecular genetics of coenzyme Q biosynthesis in health and disease. *Biochimie*. 2014 May;100:78-87. doi: 10.1016/j.biochi.2013.12.006. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/24355204>
- Ozaltin F. Primary coenzyme Q10 (CoQ 10) deficiencies and related nephropathies. *Pediatr Nephrol*. 2014 Jun;29(6):961-9. doi: 10.1007/s00467-013-2482-z. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/23736673>
- Quinzii CM, Emmanuele V, Hirano M. Clinical presentations of coenzyme q10 deficiency syndrome. *Mol Syndromol*. 2014 Jul;5(3-4):141-6. doi: 10.1159/000360490.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/25126046>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4112523/>
- Quinzii CM, Hirano M. Coenzyme Q and mitochondrial disease. *Dev Disabil Res Rev*. 2010;16(2):183-8. doi: 10.1002/ddr.108. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/20818733>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3097389/>

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/primary-coenzyme-q10-deficiency>

Reviewed: April 2017
Published: April 17, 2018

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services