



Pyridoxine-dependent epilepsy

Pyridoxine-dependent epilepsy is a condition that involves seizures beginning in infancy or, in some cases, before birth. Those affected typically experience prolonged seizures lasting several minutes (status epilepticus). These seizures involve muscle rigidity, convulsions, and loss of consciousness (tonic-clonic seizures). Additional features of pyridoxine-dependent epilepsy include low body temperature (hypothermia), poor muscle tone (dystonia) soon after birth, and irritability before a seizure episode. In rare instances, children with this condition do not have seizures until they are 1 to 3 years old.

Anticonvulsant drugs, which are usually given to control seizures, are ineffective in people with pyridoxine-dependent epilepsy. Instead, people with this type of seizure are medically treated with large daily doses of pyridoxine (a type of vitamin B6 found in food). If left untreated, people with this condition can develop severe brain dysfunction (encephalopathy). Even though seizures can be controlled with pyridoxine, neurological problems such as developmental delay and learning disorders may still occur.

Frequency

Pyridoxine-dependent epilepsy occurs in 1 in 100,000 to 700,000 individuals. At least 100 cases have been reported worldwide.

Causes

Mutations in the *ALDH7A1* gene cause pyridoxine-dependent epilepsy. The *ALDH7A1* gene provides instructions for making an enzyme called α -amino adipic semialdehyde (α -AASA) dehydrogenase, also known as antiquitin. This enzyme is involved in the breakdown of the protein building block (amino acid) lysine in the brain.

When antiquitin is deficient, a molecule that interferes with vitamin B6 function builds up in various tissues. Pyridoxine plays a role in many processes in the body, such as the breakdown of amino acids and the production of chemicals that transmit signals in the brain (neurotransmitters). It is unclear how a lack of pyridoxine causes the seizures that are characteristic of this condition.

Some individuals with pyridoxine-dependent epilepsy do not have identified mutations in the *ALDH7A1* gene. In these cases, the cause of the condition is unknown.

Inheritance Pattern

This condition is inherited in an autosomal recessive pattern, which means both copies of the gene in each cell have mutations. The parents of an individual with an autosomal

recessive condition each carry one copy of the mutated gene, but they typically do not show signs and symptoms of the condition.

Other Names for This Condition

- AASA dehydrogenase deficiency
- EPD
- epilepsy, pyridoxine-dependent
- PDE
- pyridoxine dependency
- Pyridoxine Dependency
- pyridoxine dependency with seizures
- pyridoxine-dependent seizures
- vitamin B6-dependent seizures

Diagnosis & Management

Genetic Testing Information

- What is genetic testing?
[/primer/testing/genetictesting](#)
- Genetic Testing Registry: Pyridoxine-dependent epilepsy
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1849508/>

Research Studies from ClinicalTrials.gov

- ClinicalTrials.gov
<https://clinicaltrials.gov/ct2/results?cond=%22pyridoxine-dependent+epilepsy%22+OR+%22vitamin+B6-dependent+seizures%22>

Other Diagnosis and Management Resources

- GeneReview: Pyridoxine-Dependent Epilepsy
<https://www.ncbi.nlm.nih.gov/books/NBK1486>
- MedlinePlus Encyclopedia: Generalized tonic-clonic seizure
<https://medlineplus.gov/ency/article/000695.htm>

Additional Information & Resources

Health Information from MedlinePlus

- Drugs and Supplements: Vitamin B6
<https://medlineplus.gov/druginfo/natural/934.html>
- Encyclopedia: Generalized tonic-clonic seizure
<https://medlineplus.gov/ency/article/000695.htm>

- Health Topic: Epilepsy
<https://medlineplus.gov/epilepsy.html>
- Health Topic: Seizures
<https://medlineplus.gov/seizures.html>

Genetic and Rare Diseases Information Center

- Pyridoxine-dependent epilepsy
<https://rarediseases.info.nih.gov/diseases/9298/pyridoxine-dependent-epilepsy>

Additional NIH Resources

- National Institute of Neurological Disorders and Stroke: Epilepsy Information Page
<https://www.ninds.nih.gov/Disorders/All-Disorders/Epilepsy-Information-Page>

Educational Resources

- Boston Children's Hospital: Seizures and Epilepsy
<http://www.childrenshospital.org/conditions-and-treatments/conditions/s/seizures>
- MalaCards: epilepsy, pyridoxine-dependent
https://www.malacards.org/card/epilepsy_pyridoxine_dependent
- Merck Manual Home Edition for Patients and Caregivers: Seizure Disorders
<https://www.merckmanuals.com/home/brain-spinal-cord-and-nerve-disorders/seizure-disorders/seizure-disorders>
- Orphanet: Pyridoxine-dependent epilepsy
https://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=3006
- University of Washington: Pyridoxine-Dependent Seizures Registry
<http://faculty.washington.edu/sgospe/pyridoxine/>

Patient Support and Advocacy Resources

- American Epilepsy Society
<https://www.aesnet.org/>
- Metabolic Support UK
<https://www.metabolicsupportuk.org/>
- National Organization for Rare Disorders (NORD)
<https://rarediseases.org/rare-diseases/pyridoxine-dependent-epilepsy/>

Clinical Information from GeneReviews

- Pyridoxine-Dependent Epilepsy
<https://www.ncbi.nlm.nih.gov/books/NBK1486>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28pyridoxine-dependent+epilepsy%5BTIAB%5D%29+OR+%28pyridoxine-dependent+seizures%5BTIAB%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+3600+days%22%5Bdp%5D>

Catalog of Genes and Diseases from OMIM

- EPILEPSY, PYRIDOXINE-DEPENDENT
<http://omim.org/entry/266100>

Sources for This Summary

- Bok LA, Struys E, Willemsen MA, Been JV, Jakobs C. Pyridoxine-dependent seizures in Dutch patients: diagnosis by elevated urinary alpha-aminoadipic semialdehyde levels. Arch Dis Child. 2007 Aug;92(8):687-9. Epub 2006 Nov 6.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/17088338>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2083882/>
- Kanno J, Kure S, Narisawa A, Kamada F, Takayanagi M, Yamamoto K, Hoshino H, Goto T, Takahashi T, Haginoya K, Tsuchiya S, Baumeister FA, Hasegawa Y, Aoki Y, Yamaguchi S, Matsubara Y. Allelic and non-allelic heterogeneities in pyridoxine dependent seizures revealed by ALDH7A1 mutational analysis. Mol Genet Metab. 2007 Aug;91(4):384-9. Epub 2007 Apr 11.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/17433748>
- Mills PB, Struys E, Jakobs C, Plecko B, Baxter P, Baumgartner M, Willemsen MA, Omran H, Tacke U, Uhlenberg B, Weschke B, Clayton PT. Mutations in antiquitin in individuals with pyridoxine-dependent seizures. Nat Med. 2006 Mar;12(3):307-9. Epub 2006 Feb 19.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/16491085>
- Pearl PL, Taylor JL, Trzcinski S, Sokohl A. The pediatric neurotransmitter disorders. J Child Neurol. 2007 May;22(5):606-16. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/17690069>
- Plecko B, Paul K, Paschke E, Stoeckler-Ipsiroglu S, Struys E, Jakobs C, Hartmann H, Luecke T, di Capua M, Korenke C, Hikel C, Reutershahn E, Freilinger M, Baumeister F, Bosch F, Erwa W. Biochemical and molecular characterization of 18 patients with pyridoxine-dependent epilepsy and mutations of the antiquitin (ALDH7A1) gene. Hum Mutat. 2007 Jan;28(1):19-26.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/17068770>

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/pyridoxine-dependent-epilepsy>

Reviewed: February 2013

Published: September 10, 2019

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services