



Schwartz-Jampel syndrome

Schwartz-Jampel syndrome is a rare condition characterized by permanent muscle stiffness (myotonia) and bone abnormalities known as chondrodysplasia. The signs and symptoms of this condition become apparent sometime after birth, usually in early childhood. Either muscle stiffness or chondrodysplasia can appear first. The muscle and bone abnormalities worsen in childhood, although most affected individuals have a normal lifespan. The specific features of Schwartz-Jampel syndrome vary widely.

Myotonia involves continuous tensing (contraction) of muscles used for movement (skeletal muscles) throughout the body. This sustained muscle contraction causes stiffness that interferes with eating, sitting, walking, and other movements. Sustained contraction of muscles in the face leads to a fixed, "mask-like" facial expression with narrow eye openings (blepharophimosis) and pursed lips. This facial appearance is very specific to Schwartz-Jampel syndrome. Affected individuals may also be nearsighted and experience abnormal blinking or spasms of the eyelids (blepharospasm).

Chondrodysplasia affects the development of the skeleton, particularly the long bones in the arms and legs and the bones of the hips. These bones are shortened and unusually wide at the ends, so affected individuals have short stature. The long bones may also be abnormally curved (bowed). Other bone abnormalities associated with Schwartz-Jampel syndrome include a protruding chest (pectus carinatum), abnormal curvature of the spine, flattened bones of the spine (platyspondyly), and joint abnormalities called contractures that further restrict movement.

Researchers originally described two types of Schwartz-Jampel syndrome. Type 1 has the signs and symptoms described above, while type 2 has more severe bone abnormalities and other health problems and is usually life-threatening in early infancy. Researchers have since discovered that the condition they thought was Schwartz-Jampel syndrome type 2 is actually part of another disorder, Stüve-Wiedemann syndrome, which is caused by mutations in a different gene. They have recommended that the designation Schwartz-Jampel syndrome type 2 no longer be used.

Frequency

Schwartz-Jampel syndrome appears to be a rare condition. About 150 cases have been reported in the medical literature.

Causes

Schwartz-Jampel syndrome is caused by mutations in the *HSPG2* gene. This gene provides instructions for making a protein known as perlecan. This protein is found in the extracellular matrix, which is the intricate lattice of proteins and other molecules that

forms in the spaces between cells. Specifically, it is found in part of the extracellular matrix called the basement membrane, which is a thin, sheet-like structure that separates and supports cells in many tissues. Perlecan is also found in cartilage, a tough, flexible tissue that makes up much of the skeleton during early development. Most cartilage is later converted to bone, except for the cartilage that continues to cover and protect the ends of bones and is present in the nose and external ears.

Perlecan has multiple functions, including cell signaling and the normal maintenance of basement membranes and cartilage. The protein also plays a critical role at the neuromuscular junction, which is the area between the ends of nerve cells and muscle cells where signals are relayed to trigger muscle contraction.

The mutations that cause Schwartz-Jampel syndrome reduce the amount of perlecan that is produced or lead to a version of perlecan that is only partially functional. A reduction in the amount or function of this protein disrupts the normal development of cartilage and bone tissue, which underlies chondrodysplasia in affected individuals. A reduced amount of functional perlecan at the neuromuscular junction likely alters the balance of other molecules that signal when muscles should contract and when they should relax. As a result, muscle contraction is triggered continuously, leading to myotonia.

Inheritance Pattern

This condition is inherited in an autosomal recessive pattern, which means both copies of the gene in each cell have mutations. The parents of an individual with an autosomal recessive condition each carry one copy of the mutated gene, but they typically do not show signs and symptoms of the condition.

Other Names for This Condition

- chondrodystrophic myotonia
- myotonic myopathy, dwarfism, chondrodystrophy, and ocular and facial abnormalities
- Schwartz-Jampel-Aberfeld syndrome
- Schwartz-Jampel syndrome, type 1
- SJA syndrome
- SJS
- SJS1

Diagnosis & Management

Genetic Testing Information

- What is genetic testing?
[/primer/testing/geneticTesting](#)
- Genetic Testing Registry: Schwartz Jampel syndrome type 1
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C4551479/>

Other Diagnosis and Management Resources

- National Institute of Neurological Disorders and Stroke: Myotonia Information Page
<https://www.ninds.nih.gov/Disorders/All-Disorders/Myotonia-Information-Page>

Additional Information & Resources

Health Information from MedlinePlus

- Encyclopedia: Contracture Deformity
<https://medlineplus.gov/ency/article/003185.htm>
- Encyclopedia: Eyelid Twitch
<https://medlineplus.gov/ency/article/000756.htm>
- Encyclopedia: Pectus Carinatum
<https://medlineplus.gov/ency/article/003321.htm>
- Health Topic: Bone Diseases
<https://medlineplus.gov/bonediseases.html>
- Health Topic: Neuromuscular Disorders
<https://medlineplus.gov/neuromusculardisorders.html>

Genetic and Rare Diseases Information Center

- Schwartz Jampel syndrome
<https://rarediseases.info.nih.gov/diseases/250/schwartz-jampel-syndrome>

Additional NIH Resources

- National Institute of Neurological Disorders and Stroke: Myotonia Information Page
<https://www.ninds.nih.gov/Disorders/All-Disorders/Myotonia-Information-Page>

Educational Resources

- MalaCards: schwartz-jampel syndrome, type 1
https://www.malacards.org/card/schwartz_jampel_syndrome_type_1_2
- Orphanet: Schwartz-Jampel syndrome
https://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=800

Patient Support and Advocacy Resources

- Human Growth Foundation
<http://hgfound.org/>
- International Skeletal Dysplasia Registry, UCLA
<https://www.uclahealth.org/ortho/isdr>
- Little People of America
<https://www.lpaonline.org/>
- Little People UK
<https://littlepeopleuk.org/>
- Muscular Dystrophy Association
<https://www.mda.org/>
- National Organization for Rare Disorders (NORD)
<https://rarediseases.org/rare-diseases/schwartz-jampel-syndrome/>
- Resource List from the University of Kansas Medical Center: Muscular Dystrophy/ Atrophy
<http://www.kumc.edu/gec/support/muscular.html>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28Schwartz-Jampel%5BTIAB%5D%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+3600+days%22%5Bdp%5D>

Catalog of Genes and Diseases from OMIM

- SCHWARTZ-JAMPEL SYNDROME, TYPE 1
<http://omim.org/entry/255800>

Medical Genetics Database from MedGen

- Schwartz-Jampel syndrome
<https://www.ncbi.nlm.nih.gov/medgen/19892>

Sources for This Summary

- Arikawa-Hirasawa E, Le AH, Nishino I, Nonaka I, Ho NC, Francomano CA, Govindraj P, Hassell JR, Devaney JM, Spranger J, Stevenson RE, Iannaccone S, Dalakas MC, Yamada Y. Structural and functional mutations of the perlecan gene cause Schwartz-Jampel syndrome, with myotonic myopathy and chondrodysplasia. *Am J Hum Genet.* 2002 May;70(5):1368-75. Epub 2002 Apr 8. *Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/11941538>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC447613/>
- Bauché S, Boerio D, Davoine CS, Bernard V, Stum M, Bureau C, Fardeau M, Romero NB, Fontaine B, Koenig J, Hantai D, Gueguen A, Fournier E, Eymard B, Nicole S. Peripheral nerve hyperexcitability with preterminal nerve and neuromuscular junction remodeling is a hallmark of Schwartz-Jampel syndrome. *Neuromuscul Disord.* 2013 Dec;23(12):998-1009. doi: 10.1016/j.nmd.2013.07.005. Epub 2013 Sep 4. Erratum in: *Neuromuscul Disord.* 2014 Apr;24(4):371. *Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/24011702>
- Dagoneau N, Scheffer D, Huber C, Al-Gazali LI, Di Rocco M, Godard A, Martinovic J, Raas-Rothschild A, Sigaudy S, Unger S, Nicole S, Fontaine B, Taupin JL, Moreau JF, Superti-Furga A, Le Merrer M, Bonaventure J, Munnich A, Legeai-Mallet L, Cormier-Daire V. Null leukemia inhibitory factor receptor (LIFR) mutations in Stuve-Wiedemann/Schwartz-Jampel type 2 syndrome. *Am J Hum Genet.* 2004 Feb;74(2):298-305. Epub 2004 Jan 21. *Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/14740318>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1181927/>
- Nicole S, Davoine CS, Topaloglu H, Cattolico L, Barral D, Beighton P, Hamida CB, Hammouda H, Cruaud C, White PS, Samson D, Urtizberea JA, Lehmann-Horn F, Weissenbach J, Hentati F, Fontaine B. Perlecan, the major proteoglycan of basement membranes, is altered in patients with Schwartz-Jampel syndrome (chondrodystrophic myotonia). *Nat Genet.* 2000 Dec;26(4):480-3. *Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/11101850>
- Nicole S, Topaloglu H, Fontaine B. 102nd ENMC International Workshop on Schwartz-Jampel syndrome, 14-16 December, 2001, Naarden, The Netherlands. *Neuromuscul Disord.* 2003 May;13(4):347-51. *Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/12868505>
- Stum M, Davoine CS, Fontaine B, Nicole S. Schwartz-Jampel syndrome and perlecan deficiency. *Acta Myol.* 2005 Oct;24(2):89-92. Review. *Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/16550923>
- Stum M, Davoine CS, Vicart S, Guillot-Noël L, Topaloglu H, Carod-Artal FJ, Kayserili H, Hentati F, Merlini L, Urtizberea JA, Hammouda el-H, Quan PC, Fontaine B, Nicole S. Spectrum of HSPG2 (Perlecan) mutations in patients with Schwartz-Jampel syndrome. *Hum Mutat.* 2006 Nov;27(11):1082-91. *Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/16927315>

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/schwartz-jampel-syndrome>

Reviewed: April 2016

Published: June 11, 2019

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services