



Shingles

Shingles (also known as herpes zoster) results from infection by the varicella zoster virus. This common virus causes chickenpox (also known as varicella), which is characterized by itchy spots on the skin that cover the whole body and usually occurs in childhood or adolescence. After the body fights the initial infection, the varicella zoster virus remains in nerve cells for the rest of a person's life. Because the virus is controlled by immune system cells called T cells, it is generally inactive (latent) and typically causes no health problems. However, in some people, the virus becomes active again (reactivates) and causes shingles. Shingles can occur at any age, although it is rare in childhood and becomes more common after age 50.

Shingles is characterized by a severely painful, itchy, or tingling rash, most commonly on one side of the torso, although it can occur anywhere on the body. Reactivation of the virus usually occurs in a single nerve, leading to the symptoms of shingles in just the region of skin connected to that nerve. When the nerve connected to the eye and the skin surrounding it is affected, the condition is called herpes zoster ophthalmicus. This form of shingles, which accounts for about 20 percent of cases, can cause permanent vision impairment.

Some individuals with shingles feel throbbing or tingling in the affected region shortly before the rash appears. Blisters form in the rash area, break open, and scab over in a few days. Healing usually takes 2 to 4 weeks. Most people have only one episode of shingles, although it can recur in rare cases.

In 5 to 20 percent of people with shingles, severe pain continues in the affected region after healing of the rash, which is known as postherpetic neuralgia (PHN). PHN is the most common complication of shingles. It can also involve severe itchiness or an overactive pain response to things that do not usually cause pain (allodynia), such as a light touch. PHN can last weeks, months, or even years. The likelihood of developing PHN after shingles and its severity increase with age. The pain caused by shingles and PHN can disrupt day-to-day activities and reduce a person's quality of life.

Frequency

Because everyone infected with the varicella zoster virus is at risk of developing shingles, the condition is relatively common, particularly in older adults. Shingles occurs in 20 to 30 percent of people at some point in their lives, and about half of people over age 80 have had shingles.

The risk of shingles varies by ethnic background. The condition is more common in people of non-Hispanic white ancestry than those of African American ancestry. For unknown reasons, women are more prone to develop shingles than men.

A vaccine to prevent chickenpox was introduced in the United States in 1995. Since then, the incidence of chickenpox has been reduced by 76 to 85 percent. Doctors suspect the reduction of varicella zoster virus infections will reduce the incidence of shingles as the vaccinated children grow into adulthood; however, it is too early to tell. Vaccines for adults to protect against shingles and subsequent PHN have been used since 2006 and are also expected to reduce the incidence of shingles and its complications.

Genetic Changes

The causes of shingles are complex. Development of the condition is influenced by a combination of factors, including age, health, and genetics.

The strongest risk factor for shingles is age. The varicella zoster virus is controlled by the immune system, particularly T cells that keep the virus from infecting other cells. As people age, growth and division (proliferation) of T cells are diminished, reducing the immune system's ability to control the virus, which can allow its reactivation. Health factors that impair T cells can also trigger reactivation of the varicella zoster virus. For example certain drugs, such as chemotherapies used to treat blood cancers like multiple myeloma or drugs that prevent rejection of a transplanted organ impair the immune system and can lead to virus reactivation. Infection with human immunodeficiency virus (HIV), which infects and kills T cells, can also allow the virus to become active again. In addition, some studies suggest that emotional stress or physical trauma may be involved in virus reactivation.

The role of genetics in shingles is not clear. Several studies indicate that having a family member who developed the condition increases a person's risk, suggesting a shared genetic risk factor, although other studies did not find such a link. Genes that help regulate the immune system have been found in some studies to be associated with the development of shingles or of PHN after shingles. In particular, the risk of developing PHN appears to be increased by certain variants of genes that belong to a family of genes called the human leukocyte antigen (HLA) complex. The HLA complex helps the immune system distinguish the body's own proteins from proteins made by foreign invaders such as viruses and bacteria. It is unclear if certain HLA variations also play a role in the development of shingles.

Inheritance Pattern

The inheritance pattern of shingles is unclear. Having a first-degree relative (such as a parent or sibling) who developed shingles appears to slightly increase the risk of developing the condition. However, shingles is relatively common in the general

population, particularly among older adults, and so it would not be surprising to see more than one case in a family just by chance.

Other Names for This Condition

- herpes zoster
- zoster

Diagnosis & Management

Formal Treatment/Management Guidelines

- Canadian Medical Association: Recommendations for Zoster Immunization Programs
http://publications.gc.ca/collections/collection_2014/aspc-phac/HP40-106-2014-eng.pdf
- Canadian Medical Association: Safety and Effectiveness of the Herpes Zoster Vaccine to Prevent Postherpetic Neuralgia: 2014 Update an Consensus Statement from the Canadian Pain Society
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4325890/pdf/prm-20-46.pdf>
- Cochrane library: Antiviral Treatment for Preventing Postherpetic Neuralgia
<http://onlinelibrary.wiley.com/doi/10.1002/14651858.CD006866.pub3/full>
- Cochrane Library: Vaccines for Preventing Herpes Zoster in Older Adults
<http://onlinelibrary.wiley.com/doi/10.1002/14651858.CD008858.pub3/full>

Other Diagnosis and Management Resources

- Centers for Disease Control and Prevention: What Everyone Should Know About Shingles Vaccine
<https://www.cdc.gov/vaccines/vpd/shingles/public/index.html>
- MedlinePlus Drug Information: Shingles (Zoster) Vaccine
<https://medlineplus.gov/druginfo/meds/a607025.html>
- MedlinePlus Encyclopedia: Postherpetic Neuralgia - Aftercare
<https://medlineplus.gov/ency/patientinstructions/000555.htm>
- MedlinePlus Encyclopedia: Shingles
<https://medlineplus.gov/ency/article/000858.htm>
- National Health Service (UK): Post-Herpetic Neuralgia Treatment
<https://www.nhs.uk/conditions/post-herpetic-neuralgia/treatment/>

General Information from MedlinePlus

- Diagnostic Tests
<https://medlineplus.gov/diagnostictests.html>
- Drug Therapy
<https://medlineplus.gov/drugtherapy.html>
- Genetic Counseling
<https://medlineplus.gov/geneticcounseling.html>
- Palliative Care
<https://medlineplus.gov/palliativecare.html>
- Surgery and Rehabilitation
<https://medlineplus.gov/surgeryandrehabilitation.html>

Additional Information & Resources

MedlinePlus

- Drug Information: Shingles (Zoster) Vaccine
<https://medlineplus.gov/druginfo/meds/a607025.html>
- Encyclopedia: Chickenpox
<https://medlineplus.gov/ency/article/001592.htm>
- Encyclopedia: Postherpetic Neuralgia - Aftercare
<https://medlineplus.gov/ency/patientinstructions/000555.htm>
- Encyclopedia: Shingles
<https://medlineplus.gov/ency/article/000858.htm>
- Health Topic: Shingles
<https://medlineplus.gov/shingles.html>

Genetic and Rare Diseases Information Center

- Herpes zoster oticus
<https://rarediseases.info.nih.gov/diseases/7525/herpes-zoster-oticus>

Additional NIH Resources

- National Institute of Neurological Disorders and Stroke
<https://www.ninds.nih.gov/Disorders/All-Disorders/Shingles-Information-Page>

Educational Resources

- American Academy of Ophthalmologists: What is Shingles?
<https://www.aaopt.org/eye-health/diseases/herpes-zoster-shingles>
- Centers for Disease Control and Prevention: Chickenpox Vaccine Information Sheet
<https://www.cdc.gov/vaccines/hcp/vis/vis-statements/varicella.html>
- Centers for Disease Control and Prevention: Shingles (Herpes Zoster)
<https://www.cdc.gov/shingles/hcp/clinical-overview.html>
- Disease InfoSearch: Herpes zoster oticus
<http://www.diseaseinfosearch.org/Herpes+zoster+oticus/3397>
- KidsHealth from Nemours: Chickenpox
<http://kidshealth.org/en/parents/chicken-pox.html>
- KidsHealth from Nemours: Shingles
<http://kidshealth.org/en/parents/shingles.html?ref=search&WT.ac=msh-p-dtop-en-search-clk>
- MalaCards: herpes zoster
http://www.malacards.org/card/herpes_zoster
- Merck Manual Consumer Version: Herpes Zoster Ophthalmicus
<http://www.merckmanuals.com/home/eye-disorders/corneal-disorders/herpes-zoster-ophthalmicus>
- Merck Manual Consumer Version: Postherpetic Neuralgia
<http://www.merckmanuals.com/home/infections/viral-infections/postherpetic-neuralgia>
- Merck Manual Consumer Version: Shingles
<http://www.merckmanuals.com/home/infections/viral-infections/shingles>
- National Health Service (UK): Post-Herpetic Neuralgia Overview
<https://www.nhs.uk/conditions/post-herpetic-neuralgia/>
- New York State Department of Health
https://www.health.ny.gov/diseases/communicable/shingles/fact_sheet.htm

Patient Support and Advocacy Resources

- American Chronic Pain Association
<https://theacpa.org/condition/postherpetic-neuralgia--shingles>
- Shingles Support Society
<https://shinglessupport.org.uk/>

ClinicalTrials.gov

- ClinicalTrials.gov
<https://clinicaltrials.gov/ct2/results?cond=%22shingles%22+OR+%22Herpes+Zoster%22>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28Herpes+Zoster%5BTI%5D%29+OR+%28shingles%5BTI%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+360+days%22%5Bdp%5D>

MedGen

- Herpes zoster
<https://www.ncbi.nlm.nih.gov/medgen/42437>

Sources for This Summary

- Cho JW, Shin DH, Lee KS. Polymorphism of the IL-10 gene is associated with susceptibility to herpes zoster in Korea. *J Dermatol Sci.* 2007 Mar;45(3):213-5. Epub 2007 Jan 3.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/17204399>
- Crosslin DR, Carrell DS, Burt A, Kim DS, Underwood JG, Hanna DS, Comstock BA, Baldwin E, de Andrade M, Kullo IJ, Tromp G, Kuivaniemi H, Borthwick KM, McCarty CA, Peissig PL, Doheny KF, Pugh E, Kho A, Pacheco J, Hayes MG, Ritchie MD, Verma SS, Armstrong G, Stallings S, Denny JC, Carroll RJ, Crawford DC, Crane PK, Mukherjee S, Bottinger E, Li R, Keating B, Mirel DB, Carlson CS, Harley JB, Larson EB, Jarvik GP. Genetic variation in the HLA region is associated with susceptibility to herpes zoster. *Genes Immun.* 2015 Jan-Feb;16(1):1-7. doi: 10.1038/gene.2014.51. Epub 2014 Oct 9.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/25297839>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4308645/>
- Gatti A, Pica F, Boccia MT, De Antoni F, Sabato AF, Volpi A. No evidence of family history as a risk factor for herpes zoster in patients with post-herpetic neuralgia. *J Med Virol.* 2010 May;82(6):1007-11. doi: 10.1002/jmv.21748.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/20419815>
- Haanpää M, Nurmikko T, Hurme M. Polymorphism of the IL-10 gene is associated with susceptibility to herpes zoster. *Scand J Infect Dis.* 2002;34(2):112-4.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/11928840>
- Hernandez PO, Javed S, Mendoza N, Lapolla W, Hicks LD, Tying SK. Family history and herpes zoster risk in the era of shingles vaccination. *J Clin Virol.* 2011 Dec;52(4):344-8. doi: 10.1016/j.jcv.2011.08.014. Epub 2011 Sep 15.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/21924676>
- Kawai K, Yawn BP. Risk Factors for Herpes Zoster: A Systematic Review and Meta-analysis. *Mayo Clin Proc.* 2017 Dec;92(12):1806-1821. doi: 10.1016/j.mayocp.2017.10.009.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/29202939>

- Meysman P, De Neuter N, Bartholomeus E, Elias G, Van den Bergh J, Emonds MP, Haasnoot GW, Heynderickx S, Wens J, Michels NR, Lambert J, Lion E, Claas FHJ, Goossens H, Smits E, Van Damme P, Van Tendeloo V, Beutels P, Suls A, Mortier G, Laukens K, Ogunjimi B. Increased herpes zoster risk associated with poor HLA-A immediate early 62 protein (IE62) affinity. *Immunogenetics*. 2017 Dec 1. doi: 10.1007/s00251-017-1047-x. [Epub ahead of print]
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/29196796>
- Meysman P, Ogunjimi B, Naulaerts S, Beutels P, Van Tendeloo V, Laukens K. Varicella-zoster virus-derived major histocompatibility complex class I-restricted peptide affinity is a determining factor in the HLA risk profile for the development of postherpetic neuralgia. *J Virol*. 2015 Jan 15; 89(2):962-9. doi: 10.1128/JVI.02500-14. Epub 2014 Oct 29.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/25355886>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4300672/>
- Ogunjimi B, Zhang SY, Sørensen KB, Skipper KA, Carter-Timothe M, Kerner G, Luecke S, Prabakaran T, Cai Y, Meester J, Bartholomeus E, Bolar NA, Vandeweyer G, Claes C, Sillis Y, Lorenzo L, Fiorenza RA, Boucherit S, Dielman C, Heynderickx S, Elias G, Kurotova A, Auwera AV, Verstraete L, Lagae L, Verhelst H, Jansen A, Ramet J, Suls A, Smits E, Ceulemans B, Van Laer L, Plat Wilson G, Kreth J, Picard C, Von Bernuth H, Fluss J, Chabrier S, Abel L, Mortier G, Fribourg S, Mikkelsen JG, Casanova JL, Paludan SR, Mogensen TH. Inborn errors in RNA polymerase III underlie severe varicella zoster virus infections. *J Clin Invest*. 2017 Sep 1;127(9):3543-3556. doi: 10.1172/JCI92280. Epub 2017 Aug 7.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/28783042>
- Siegel AM, Heimall J, Freeman AF, Hsu AP, Brittain E, Brenchley JM, Douek DC, Fahle GH, Cohen JI, Holland SM, Milner JD. A critical role for STAT3 transcription factor signaling in the development and maintenance of human T cell memory. *Immunity*. 2011 Nov 23;35(5):806-18. doi: 10.1016/j.immuni.2011.09.016.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/22118528>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3228524/>
- Toubiana J, Okada S, Hiller J, Oleastro M, Lagos Gomez M, Aldave Becerra JC, Ouachée-Chardin M, Fouyssac F, Girisha KM, Etzioni A, Van Montfrans J, Camcioglu Y, Kerns LA, Belohradsky B, Blanche S, Bousfiha A, Rodriguez-Gallego C, Meyts I, Kisand K, Reichenbach J, Renner ED, Rosenzweig S, Grimbacher B, van de Veerdonk FL, Traidl-Hoffmann C, Picard C, Marodi L, Morio T, Kobayashi M, Lilic D, Milner JD, Holland S, Casanova JL, Puel A; International STAT1 Gain-of-Function Study Group. Heterozygous STAT1 gain-of-function mutations underlie an unexpectedly broad clinical phenotype. *Blood*. 2016 Jun 23;127(25):3154-64. doi: 10.1182/blood-2015-11-679902. Epub 2016 Apr 25.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/27114460>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4920021/>
- Warren-Gash C, Forbes H, Breuer J. Varicella and herpes zoster vaccine development: lessons learned. *Expert Rev Vaccines*. 2017 Dec;16(12):1191-1201. doi: 10.1080/14760584.2017.1394843. Epub 2017 Oct 30.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/29047317>

Reprinted from Genetics Home Reference:
<https://ghr.nlm.nih.gov/condition/shingles>

Reviewed: January 2018
Published: January 9, 2018

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services