



## TRNT1 deficiency

TRNT1 deficiency is a condition that affects many body systems. Its signs and symptoms can involve blood cells, the immune system, the eyes, and the nervous system. The severity of the signs and symptoms vary widely.

A common feature of TRNT1 deficiency is a blood condition called sideroblastic anemia, which is characterized by a shortage of red blood cells (anemia). In TRNT1 deficiency, the red blood cells that are present are unusually small (erythrocytic microcytosis). In addition, developing red blood cells in the bone marrow (erythroblasts) can have an abnormal buildup of iron that appears as a ring of blue staining in the cell after treatment in the lab with certain dyes. These abnormal cells are called ring sideroblasts.

Many people with TRNT1 deficiency have an immune system disorder (immunodeficiency) that can lead to recurrent bacterial infections. Repeated infections can cause life-threatening damage to internal organs. The immunodeficiency is characterized by low numbers of immune system cells called B cells, which normally help fight infections by producing immune proteins called antibodies (or immunoglobulins). These proteins target foreign invaders such as bacteria and viruses and mark them for destruction. In many individuals with TRNT1 deficiency, the amount of immunoglobulins is also low (hypogammaglobulinemia).

In addition, many individuals with TRNT1 deficiency have recurrent fevers that are not caused by an infection. These fever episodes are often one of the earliest recognized symptoms of TRNT1 deficiency, usually beginning in infancy. The fever episodes are typically accompanied by poor feeding, vomiting, and diarrhea, and can lead to hospitalization. In many affected individuals, the episodes occur regularly, arising approximately every 2 to 4 weeks and lasting 5 to 7 days, although the frequency can decrease with age.

Eye abnormalities, often involving the light-sensing tissue at the back of the eye (the retina), can occur in people with TRNT1 deficiency. Some of these individuals have a condition called retinitis pigmentosa, in which the light-sensing cells of the retina gradually deteriorate. Eye problems in TRNT1 deficiency can lead to vision loss.

Neurological problems are also frequent in TRNT1 deficiency. Many affected individuals have delayed development of speech and motor skills, such as sitting, standing, and walking, and some have low muscle tone (hypotonia).

Features that occur less commonly in people with TRNT1 deficiency include hearing loss caused by abnormalities of the inner ear (sensorineural hearing loss), recurrent seizures (epilepsy), and problems with the kidneys or heart.

TRNT1 deficiency encompasses what was first thought to be two separate disorders, a severe disorder called sideroblastic anemia with B-cell immunodeficiency, periodic fevers, and developmental delay (SIFD) and a milder disorder called retinitis pigmentosa with erythrocytic microcytosis (RPEM), each named for its most common features. SIFD begins in infancy, and affected individuals usually do not survive past childhood. RPEM, on the other hand, is recognized in early adulthood, and the microcytosis usually does not cause any health problems. However, it has since been recognized that some individuals have a combination of features that fall between these two ends of the severity spectrum. All of these cases are now considered part of TRNT1 deficiency.

## Frequency

TRNT1 deficiency is a rare condition; its prevalence is unknown. Approximately 20 affected individuals have been described in the medical literature.

## Causes

TRNT1 deficiency is caused by mutations in the *TRNT1* gene, which provides instructions for making a protein involved in the production (synthesis) of other proteins. During protein synthesis, a molecule called transfer RNA (tRNA) helps assemble protein building blocks (amino acids) into a chain that forms the protein. Each tRNA carries a specific amino acid to the growing chain. The TRNT1 protein modifies tRNAs, which allows the correct amino acid to be attached to each tRNA.

*TRNT1* gene mutations lead to a shortage (deficiency) of functional TRNT1 protein. As a result, modification of tRNA molecules is impaired. Without the modification, tRNAs are thought to be less able to participate in protein synthesis. Researchers suspect that protein synthesis in cellular structures called mitochondria, which are the energy-producing centers of cells, is most strongly affected. The resulting decrease in energy production may damage cells in many body systems, leading to the varied signs and symptoms of TRNT1 deficiency. Researchers believe that mutations that cause a greater impairment of TRNT1 function lead to more severe signs and symptoms.

## Inheritance Pattern

This condition is inherited in an autosomal recessive pattern, which means both copies of the gene in each cell have mutations. The parents of an individual with an autosomal recessive condition each carry one copy of the mutated gene, but they typically do not show signs and symptoms of the condition.

## Other Names for This Condition

- retinitis pigmentosa with erythrocytic microcytosis
- RPEM
- sideroblastic anemia with B-cell immunodeficiency, periodic fevers, and developmental delay

- SIFD
- TRNT1 enzyme deficiency
- TRNT1-related immunodeficiency
- TRNT1-related immunodeficiency+

## **Diagnosis & Management**

### Genetic Testing Information

- What is genetic testing?  
[/primer/testing/genetictesting](#)
- Genetic Testing Registry: Retinitis pigmentosa and erythrocytic microcytosis  
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C4310776/>
- Genetic Testing Registry: Sideroblastic anemia with B-cell immunodeficiency, periodic fevers, and developmental delay  
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C4015172/>

## **Additional Information & Resources**

### Health Information from MedlinePlus

- Encyclopedia: Anemia  
<https://medlineplus.gov/ency/article/000560.htm>
- Encyclopedia: Immunodeficiency Disorders  
<https://medlineplus.gov/ency/article/000818.htm>
- Encyclopedia: Retinitis Pigmentosa  
<https://medlineplus.gov/ency/article/001029.htm>
- Health Topic: Anemia  
<https://medlineplus.gov/anemia.html>
- Health Topic: Immune System and Disorders  
<https://medlineplus.gov/immunesystemanddisorders.html>
- Health Topic: Retinal Disorders  
<https://medlineplus.gov/retinaldisorders.html>

### Genetic and Rare Diseases Information Center

- Sideroblastic anemia  
<https://rarediseases.info.nih.gov/diseases/667/sideroblastic-anemia>

### Educational Resources

- Centers for Disease Control and Prevention: Developmental Disabilities  
<https://www.cdc.gov/ncbddd/developmentaldisabilities/facts.html>
- MalaCards: sideroblastic anemia with b-cell immunodeficiency, periodic fevers, and developmental delay  
[https://www.malacards.org/card/sideroblastic\\_anemia\\_with\\_b\\_cell\\_immunodeficiency\\_periodic\\_fevers\\_and\\_developmental\\_delay](https://www.malacards.org/card/sideroblastic_anemia_with_b_cell_immunodeficiency_periodic_fevers_and_developmental_delay)
- Merck Manual Consumer Version: Retinitis Pigmentosa  
<https://www.merckmanuals.com/home/eye-disorders/retinal-disorders/retinitis-pigmentosa>
- Orphanet: Sideroblastic anemia  
[https://www.orpha.net/consor/cgi-bin/OC\\_Exp.php?Lng=EN&Expert=1047](https://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=1047)

### Patient Support and Advocacy Resources

- Immune Deficiency Foundation  
<https://primaryimmune.org/>
- International Patient Organization for Primary Immunodeficiencies  
<https://ipopi.org/>
- Resource List from the University of Kansas Medical Center: Developmental Delay  
<http://www.kumc.edu/gec/support/devdelay.html>
- Retina International  
<http://www.retina-international.org/for-patients/rare-conditions/what-is-retinitis-pigmentosa/>

### Scientific Articles on PubMed

- PubMed  
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28TRNT1+deficiency%29+OR+%28sideroblastic+anemia+with+B-cell+immunodeficiency,+periodic+fevers,+and+developmental+delay%29+OR+%28retinitis+pigmentosa+with+erythrocytic+microcytosis%29+OR+%28SIFD%29%29+AND+english%5Bla%5D+AND+%22last+3600+days%22%5Bdp%5D>

### Catalog of Genes and Diseases from OMIM

- RETINITIS PIGMENTOSA AND ERYTHROCYTIC MICROCYTOSIS  
<http://omim.org/entry/616959>
- SIDEROBLASTIC ANEMIA WITH B-CELL IMMUNODEFICIENCY, PERIODIC FEVERS, AND DEVELOPMENTAL DELAY  
<http://omim.org/entry/616084>

## Medical Genetics Database from MedGen

- Retinitis pigmentosa and erythrocytic microcytosis  
<https://www.ncbi.nlm.nih.gov/medgen/934743>
- Sideroblastic anemia with B-cell immunodeficiency, periodic fevers, and developmental delay  
<https://www.ncbi.nlm.nih.gov/medgen/863609>

## **Sources for This Summary**

- Chakraborty PK, Schmitz-Abe K, Kennedy EK, Mamady H, Naas T, Durie D, Campagna DR, Lau A, Sendamarai AK, Wiseman DH, May A, Jolles S, Connor P, Powell C, Heeney MM, Giardina PJ, Klaassen RJ, Kannengiesser C, Thuret I, Thompson AA, Marques L, Hughes S, Bonney DK, Bottomley SS, Wynn RF, Laxer RM, Minniti CP, Moppett J, Bordon V, Geraghty M, Joyce PB, Markianos K, Rudner AD, Holcik M, Fleming MD. Mutations in TRNT1 cause congenital sideroblastic anemia with immunodeficiency, fevers, and developmental delay (SIFD). *Blood*. 2014 Oct 30;124(18):2867-71. doi: 10.1182/blood-2014-08-591370. Epub 2014 Sep 5.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/25193871>  
*Free article on PubMed Central:* <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4215314/>
- DeLuca AP, Whitmore SS, Barnes J, Sharma TP, Westfall TA, Scott CA, Weed MC, Wiley JS, Wiley LA, Johnston RM, Schnieders MJ, Lentz SR, Tucker BA, Mullins RF, Scheetz TE, Stone EM, Slusarski DC. Hypomorphic mutations in TRNT1 cause retinitis pigmentosa with erythrocytic microcytosis. *Hum Mol Genet*. 2016 Jan 1;25(1):44-56. doi: 10.1093/hmg/ddv446. Epub 2015 Oct 22.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/26494905>  
*Free article on PubMed Central:* <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4690490/>
- Frans G, Moens L, Schaballie H, Wuyts G, Liston A, Poesen K, Janssens A, Rice GI, Crow YJ, Meyts I, Bossuyt X. Homozygous N-terminal missense mutation in TRNT1 leads to progressive B-cell immunodeficiency in adulthood. *J Allergy Clin Immunol*. 2017 Jan;139(1):360-363.e6. doi: 10.1016/j.jaci.2016.06.050. Epub 2016 Aug 13.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/27531075>
- Hull S, Malik AN, Arno G, Mackay DS, Plagnol V, Michaelides M, Mansour S, Albanese A, Brown KT, Holder GE, Webster AR, Heath PT, Moore AT. Expanding the Phenotype of TRNT1-Related Immunodeficiency to Include Childhood Cataract and Inner Retinal Dysfunction. *JAMA Ophthalmol*. 2016 Sep 1;134(9):1049-53. doi: 10.1001/jamaophthalmol.2015.5833.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/27389523>
- Liwak-Muir U, Mamady H, Naas T, Wylie Q, McBride S, Lines M, Michaud J, Baird SD, Chakraborty PK, Holcik M. Impaired activity of CCA-adding enzyme TRNT1 impacts OXPHOS complexes and cellular respiration in SIFD patient-derived fibroblasts. *Orphanet J Rare Dis*. 2016 Jun 18;11(1):79. doi: 10.1186/s13023-016-0466-3.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/27317422>  
*Free article on PubMed Central:* <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4912790/>

- Wedatilake Y, Niazi R, Fassone E, Powell CA, Pearce S, Plagnol V, Saldanha JW, Kleta R, Chong WK, Footitt E, Mills PB, Taanman JW, Minczuk M, Clayton PT, Rahman S. TRNT1 deficiency: clinical, biochemical and molecular genetic features. *Orphanet J Rare Dis.* 2016 Jul 2;11(1):90. doi: 10.1186/s13023-016-0477-0.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/27370603>  
*Free article on PubMed Central:* <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4930608/>
  - Wiseman DH, May A, Jolles S, Connor P, Powell C, Heeney MM, Giardina PJ, Klaassen RJ, Chakraborty P, Geraghty MT, Major-Cook N, Kannengiesser C, Thuret I, Thompson AA, Marques L, Hughes S, Bonney DK, Bottomley SS, Fleming MD, Wynn RF. A novel syndrome of congenital sideroblastic anemia, B-cell immunodeficiency, periodic fevers, and developmental delay (SIFD). *Blood.* 2013 Jul 4;122(1):112-23. doi: 10.1182/blood-2012-08-439083. Epub 2013 Apr 3.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/23553769>  
*Free article on PubMed Central:* <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3761334/>
- 

Reprinted from Genetics Home Reference:  
<https://ghr.nlm.nih.gov/condition/trnt1-deficiency>

Reviewed: December 2017  
Published: May 14, 2019

Lister Hill National Center for Biomedical Communications  
U.S. National Library of Medicine  
National Institutes of Health  
Department of Health & Human Services