



JAG1 gene

jagged 1

Normal Function

The *JAG1* gene provides instructions for making a protein called Jagged-1, which is involved in an important pathway by which cells can signal to each other. The Jagged-1 protein is inserted into the membranes of certain cells. It connects with other proteins called Notch receptors, which are bound to the membranes of adjacent cells. These proteins fit together like a lock and its key. When a connection is made between the Jagged-1 and Notch proteins, it launches a series of signaling reactions (Notch signaling) affecting cell functions. Notch signaling controls how certain types of cells develop in a growing embryo, especially cells destined to be part of the heart, liver, eyes, ears, and spinal column. The Jagged-1 protein continues to play a role throughout life in the development of new blood cells.

Health Conditions Related to Genetic Changes

Alagille syndrome

At least 226 mutations in the *JAG1* gene have been identified in people with Alagille syndrome. Most of these mutations result in an abnormally short Jagged-1 protein that is missing the segment that normally spans the cell membrane (the transmembrane domain). Other mutations interfere with proper transport (trafficking) of the protein within the cell, preventing it from reaching the cell membrane. The loss of Jagged-1 protein at the cell membrane precludes its interaction with Notch proteins and prevents cell signaling. The lack of Notch signaling causes errors in development that result in missing or narrowed bile ducts in the liver, heart defects, distinctive facial features, and changes in other parts of the body. People with *JAG1* gene mutations may have one or more of these problems. In particular, some affected individuals have a particular combination of heart defects known as tetralogy of Fallot without other signs or symptoms of Alagille syndrome. The type and severity of problems associated with Alagille syndrome may differ even within the same family.


Cancers

Increased activity (expression) of the *JAG1* gene has been linked to certain cancers, including breast cancer and head and neck tumors. The increased expression of the *JAG1* gene may promote the development of new blood vessels that nourish a growing tumor. The altered gene expression may also enhance other cancer-related events such as cell division (proliferation) and the inflammatory response.

Chromosomal Location

Cytogenetic Location: 20p12.2, which is the short (p) arm of chromosome 20 at position 12.2

Molecular Location: base pairs 10,637,684 to 10,674,046 on chromosome 20 (Homo sapiens Annotation Release 109, GRCh38.p12) (NCBI)



Credit: Genome Decoration Page/NCBI

Other Names for This Gene

- AGS
- AHD
- AWS
- CD339
- CD339 antigen
- HJ1
- JAG1_HUMAN
- jagged 1 (Alagille syndrome)
- jagged 1 precursor
- JAGL1

Additional Information & Resources

Clinical Information from GeneReviews

- Alagille Syndrome
<https://www.ncbi.nlm.nih.gov/books/NBK1273>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28JAG1%5BTIAB%5D%29+OR+%28jagged+1%5BTIAB%5D%29%29+AND+%28%28Genes%5BMH%5D%29+OR+%28Genetic+Phenomena%5BMH%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+1800+days%22%5Bdp%5D>

Catalog of Genes and Diseases from OMIM

- JAGGED 1
<http://omim.org/entry/601920>
- TETRALOGY OF FALLOT
<http://omim.org/entry/187500>

Research Resources

- Atlas of Genetics and Cytogenetics in Oncology and Haematology
<http://atlasgeneticsoncology.org/Genes/JAG1ID41029ch20p12.html>
- ClinVar
<https://www.ncbi.nlm.nih.gov/clinvar?term=JAG1%5Bgene%5D>
- HGNC Gene Symbol Report
https://www.genenames.org/data/gene-symbol-report/#!/hgnc_id/HGNC:6188
- Monarch Initiative
<https://monarchinitiative.org/gene/NCBIGene:182>
- NCBI Gene
<https://www.ncbi.nlm.nih.gov/gene/182>
- UniProt
<https://www.uniprot.org/uniprot/P78504>

Sources for This Summary

- Boyer-Di Ponio J, Wright-Crosnier C, Groyer-Picard MT, Driancourt C, Beau I, Hadchouel M, Meunier-Rotival M. Biological function of mutant forms of JAGGED1 proteins in Alagille syndrome: inhibitory effect on Notch signaling. *Hum Mol Genet.* 2007 Nov 15;16(22):2683-92. Epub 2007 Aug 24.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/17720887>
- Colliton RP, Bason L, Lu FM, Piccoli DA, Krantz ID, Spinner NB. Mutation analysis of Jagged1 (JAG1) in Alagille syndrome patients. *Hum Mutat.* 2001 Feb;17(2):151-2.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/11180599>
- Dufraigne J, Funahashi Y, Kitajewski J. Notch signaling regulates tumor angiogenesis by diverse mechanisms. *Oncogene.* 2008 Sep 1;27(38):5132-7. doi: 10.1038/onc.2008.227. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/18758482>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3893692/>
- Guarnaccia C, Dhir S, Pintar A, Pongor S. The tetralogy of Fallot-associated G274D mutation impairs folding of the second epidermal growth factor repeat in Jagged-1. *FEBS J.* 2009 Nov; 276(21):6247-57. doi: 10.1111/j.1742-4658.2009.07333.x. Epub 2009 Sep 23.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/19780835>
- OMIM: JAGGED 1
<http://omim.org/entry/601920>

- Kamath BM, Bason L, Piccoli DA, Krantz ID, Spinner NB. Consequences of JAG1 mutations. *J Med Genet.* 2003 Dec;40(12):891-5.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/14684686>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1735339/>
- Kim BJ, Fulton AB. The genetics and ocular findings of Alagille syndrome. *Semin Ophthalmol.* 2007 Oct-Dec;22(4):205-10. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/18097983>
- Lu F, Morrissette JJ, Spinner NB. Conditional JAG1 mutation shows the developing heart is more sensitive than developing liver to JAG1 dosage. *Am J Hum Genet.* 2003 Apr;72(4):1065-70. Epub 2003 Mar 14.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/12649809>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1180339/>
- McElhinney DB, Krantz ID, Bason L, Piccoli DA, Emerick KM, Spinner NB, Goldmuntz E. Analysis of cardiovascular phenotype and genotype-phenotype correlation in individuals with a JAG1 mutation and/or Alagille syndrome. *Circulation.* 2002 Nov 12;106(20):2567-74.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/12427653>
- Morrissette JD, Colliton RP, Spinner NB. Defective intracellular transport and processing of JAG1 missense mutations in Alagille syndrome. *Hum Mol Genet.* 2001 Feb 15;10(4):405-13.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/11157803>
- Piccoli DA, Spinner NB. Alagille syndrome and the Jagged1 gene. *Semin Liver Dis.* 2001 Nov;21(4):525-34. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/11745040>
- Spinner NB, Colliton RP, Crosnier C, Krantz ID, Hadchouel M, Meunier-Rotival M. Jagged1 mutations in alagille syndrome. *Hum Mutat.* 2001;17(1):18-33. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/11139239>
- Spinner NB, Leonard LD, Krantz ID. Alagille Syndrome. 2000 May 19 [updated 2013 Feb 28]. In: Pagon RA, Adam MP, Ardinger HH, Wallace SE, Amemiya A, Bean LJH, Bird TD, Ledbetter N, Mefford HC, Smith RJH, Stephens K, editors. *GeneReviews®* [Internet]. Seattle (WA): University of Washington, Seattle; 1993-2017. Available from <http://www.ncbi.nlm.nih.gov/books/NBK1273/>
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/20301450>

Reprinted from Genetics Home Reference:
<https://ghr.nlm.nih.gov/gene/JAG1>

Reviewed: April 2010

Published: May 14, 2019

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services