



Ménière disease

Ménière disease is a disorder of the inner ear that affects balance and hearing. This condition is characterized by sudden episodes of extreme dizziness (vertigo), a roaring sound in the ears (tinnitus), a feeling of pressure or fullness in the ears, and fluctuations in hearing. Episodes are often associated with nausea and vomiting, and they can severely disrupt activities of daily living.

The episodes associated with Ménière disease generally last several hours. Studies suggest that episodes can be triggered by stress, tiredness (fatigue), emotional upset, illness, and dietary factors. The timing of these episodes is unpredictable; affected individuals may experience a cluster of episodes within a short period, followed by months or years without any symptoms.

Ménière disease usually appears in adulthood, most often in a person's 40s or 50s. It is much less common in children and young adults. The symptoms of the disorder typically begin in one ear, although they may later involve both ears.

Some people with Ménière disease have no symptoms of the disorder between episodes, particularly in the early stages of the disease. Over time, however, many affected individuals develop ongoing problems with unsteadiness, tinnitus, and a feeling of fullness in the ears. Additionally, permanent hearing loss eventually develops in many people with this disorder.

Frequency

The prevalence of Ménière disease varies in different geographic regions and ethnic groups. It appears to be more common in people of European descent than in those with other backgrounds. In the United States, there are an estimated 615,000 people with Ménière disease, and more than 45,000 new cases are diagnosed each year.

Causes

The cause of Ménière disease is unknown, although it probably results from a combination of environmental and genetic factors.

Ménière disease is thought to be related to abnormalities of the inner ear, which contains structures that are needed for normal hearing and balance. Episodes of vertigo, tinnitus, and hearing loss likely result from fluctuating amounts of fluid in the inner ear. These changes disrupt signals sent from the inner ear to the brain that are related to sound and the body's position and movement.

Researchers have studied many possible risk factors for Ménière disease, including viral infections, trauma to the inner ear, noise pollution, allergies, abnormal immune system responses, and migraines. Studies have also examined changes in more

than a dozen genes that might contribute to the signs and symptoms of this condition. However, none of the factors studied so far appears to play a major role in Ménière disease. Researchers are looking for additional environmental and genetic factors that are associated with this complex disorder.

Inheritance Pattern

Most cases of Ménière disease are sporadic, which means they occur in people with no history of the disorder in their family. A small percentage of all cases have been reported to run in families.

When the disorder is familial, it most often has an autosomal dominant pattern of inheritance. Autosomal dominant inheritance means one copy of an altered gene in each cell is sufficient to increase the risk of the disorder. However, no associated genes have been identified.

Other Names for This Condition

- auditory vertigo
- aural vertigo
- Meniere disease
- Meniere's disease
- Meniere's syndrome
- Ménière's disease
- Ménière's vertigo
- otogenic vertigo
- primary endolymphatic hydrops

Diagnosis & Management

Genetic Testing Information

- What is genetic testing?
[/primer/testing/genetic-testing](#)
- Genetic Testing Registry: Ménière's disease
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C0025281/>

Research Studies from ClinicalTrials.gov

- ClinicalTrials.gov
<https://clinicaltrials.gov/ct2/results?cond=%22Meniere+disease%22>

Other Diagnosis and Management Resources

- American Hearing Research Foundation
<https://www.american-hearing.org/disease/menieres-disease/>
- MedlinePlus Encyclopedia: Meniere's Disease
<https://medlineplus.gov/ency/article/000702.htm>

Additional Information & Resources

Health Information from MedlinePlus

- Encyclopedia: Meniere's Disease
<https://medlineplus.gov/ency/article/000702.htm>
- Health Topic: Balance Problems
<https://medlineplus.gov/balanceproblems.html>
- Health Topic: Meniere's Disease
<https://medlineplus.gov/menieresdisease.html>

Genetic and Rare Diseases Information Center

- Ménière's disease
<https://rarediseases.info.nih.gov/diseases/10340/menieres-disease>

Additional NIH Resources

- National Institute on Deafness and Other Communication Disorders
<https://www.nidcd.nih.gov/health/menieres-disease>

Educational Resources

- American Academy of Otolaryngology-Head and Neck Surgery
<https://www.enthealth.org/conditions/menieres-disease/>
- American Hearing Research Foundation
<https://www.american-hearing.org/disease/menieres-disease/>
- MalaCards: meniere disease
https://www.malacards.org/card/meniere_disease
- Merck Manual Consumer Version
<https://www.merckmanuals.com/home/ear-nose-and-throat-disorders/inner-ear-disorders/meniere-disease>
- Orphanet: NON RARE IN EUROPE: Ménière disease
https://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=45360

Patient Support and Advocacy Resources

- National Organization for Rare Disorders (NORD)
<https://rarediseases.org/rare-diseases/menieres-disease/>
- Vestibular Disorders Association
<https://vestibular.org/menieres-disease>

Scientific Articles on PubMed

- PubMed
https://www.ncbi.nlm.nih.gov/pubmed?term=%28Meniere+Disease%5BMAJR%5D%29+AND+%28Meniere*%5BTIAB%5D%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+360+days%22%5Bdp%5D

Catalog of Genes and Diseases from OMIM

- MENIERE DISEASE
<http://omim.org/entry/156000>

Sources for This Summary

- American Hearing Research Foundation
<https://www.american-hearing.org/disease/menieres-disease/>
- Hamid MA. Ménière's disease. *Pract Neurol*. 2009 Jun;9(3):157-62. doi: 10.1136/jnnp.2009.176602. *Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/19448058>
- Morrison AW, Bailey ME, Morrison GA. Familial Ménière's disease: clinical and genetic aspects. *J Laryngol Otol*. 2009 Jan;123(1):29-37. doi: 10.1017/S0022215108002788. Epub 2008 Jul 11. *Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/18616841>
- Morrison AW, Johnson KJ. Genetics (molecular biology) and Meniere's disease. *Otolaryngol Clin North Am*. 2002 Jun;35(3):497-516. Review. *Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/12486836>
- Paparella MM, Djalilian HR. Etiology, pathophysiology of symptoms, and pathogenesis of Meniere's disease. *Otolaryngol Clin North Am*. 2002 Jun;35(3):529-45, vi. Review. *Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/12486838>
- Paparella MM, Djalilian HR. Etiology, pathophysiology of symptoms, and pathogenesis of Meniere's disease. *Otolaryngol Clin North Am*. 2002 Jun;35(3):529-45, vi. Review. *Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/12486838>
- Sajjadi H, Paparella MM. Meniere's disease. *Lancet*. 2008 Aug 2;372(9636):406-14. doi: 10.1016/S0140-6736(08)61161-7. Review. *Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/18675691>

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/meniere-disease>

Reviewed: October 2017

Published: June 11, 2019

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services