



Nager syndrome

Nager syndrome is a rare condition that mainly affects the development of the face, hands, and arms. The severity of this disorder varies among affected individuals.

Children with Nager syndrome are born with underdeveloped cheek bones (malar hypoplasia) and a very small lower jaw (micrognathia). They often have an opening in the roof of the mouth called a cleft palate. These abnormalities frequently cause feeding problems in infants with Nager syndrome. The airway is usually partially blocked due to the micrognathia, which can lead to life-threatening breathing problems.

People with Nager syndrome often have eyes that slant downward (downslanting palpebral fissures), no eyelashes, and a notch in the lower eyelids called an eyelid coloboma. Many affected individuals have small or unusually formed ears, and about 60 percent have hearing loss caused by defects in the middle ear (conductive hearing loss). Nager syndrome does not affect a person's intelligence, although speech development may be delayed due to hearing impairment.

Individuals with Nager syndrome have bone abnormalities in their hands and arms. The most common abnormality is malformed or absent thumbs. Affected individuals may also have fingers that are unusually curved (clinodactyly) or fused together (syndactyly). Their forearms may be shortened due to the partial or complete absence of a bone called the radius. People with Nager syndrome sometimes have difficulty fully extending their elbows. This condition can also cause bone abnormalities in the legs and feet.

Less commonly, affected individuals have abnormalities of the heart, kidneys, genitalia, and urinary tract.

Frequency

Nager syndrome is a rare condition. Its prevalence is unknown. More than 75 cases have been reported in the medical literature.

Causes

More than half of cases of Nager syndrome are caused by mutations in the *SF3B4* gene. The cause of the remainder of cases is unknown; other genes are thought to be involved in the condition.

The *SF3B4* gene provides instructions for making the SAP49 protein, which is one piece of a complex called a spliceosome. Spliceosomes help process messenger RNA (mRNA), which is a chemical cousin of DNA that serves as a genetic blueprint for making proteins. The spliceosomes recognize and then remove regions from mRNA molecules that are not used in the blueprint (which are called introns).

The SAP49 protein may also be involved in a chemical signaling pathway known as the bone morphogenic protein (BMP) pathway. This signaling pathway regulates various cellular processes and is involved in the growth of cells. The SAP49 protein is particularly important for the maturation of cells that build bones and cartilage (osteoblasts and chondrocytes).

SF3B4 gene mutations that cause Nager syndrome prevent the production of functional SAP49 protein. Although the effect of this protein shortage is unknown, researchers suspect that it disrupts spliceosome formation, which may impair mRNA processing and alter the activity of genes involved in the development of several parts of the body. A loss of SAP49 may also impair BMP pathway signaling, leading to abnormal development of bones in the face, hands, and arms.

Inheritance Pattern

When caused by mutations in the *SF3B4* gene, Nager syndrome follows an autosomal dominant inheritance pattern, which means one copy of the altered gene in each cell is sufficient to cause the disorder. Most cases result from new mutations in the gene and occur in people with no history of the disorder in their family. Less commonly, an affected person inherits the mutation from one affected parent. Autosomal dominant Nager syndrome may also be caused by mutations in other genes.

Nager syndrome can also be inherited in an autosomal recessive pattern, which means both copies of a gene in each cell have mutations. The parents of an individual with an autosomal recessive condition each carry one copy of a mutated gene, but they typically do not show signs and symptoms of the condition. Nager syndrome is suspected to have an autosomal recessive inheritance pattern when unaffected parents have more than one affected child. The genetic cause in these families is unknown.

Other Names for This Condition

- acrofacial dysostosis 1, Nager type
- AFD1
- NAFD
- Nager acrofacial dysostosis
- Nager acrofacial dysostosis syndrome
- preaxial acrofacial dysostosis
- preaxial mandibulofacial dysostosis

Diagnosis & Management

Genetic Testing Information

- What is genetic testing?
[/primer/testing/genetictesting](#)
- Genetic Testing Registry: Nager syndrome
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C0265245/>

Research Studies from ClinicalTrials.gov

- ClinicalTrials.gov
<https://clinicaltrials.gov/ct2/results?cond=%22Nager+syndrome%22+OR+%22Craniofacial+Dysostosis%22>

Other Diagnosis and Management Resources

- University of California San Francisco Medical Center
https://www.ucsfbenioffchildrens.org/conditions/nager_syndrome/

Additional Information & Resources

Health Information from MedlinePlus

- Encyclopedia: Cleft Lip and Palate
<https://medlineplus.gov/ency/article/001051.htm>
- Encyclopedia: Hearing Loss - Infants
<https://medlineplus.gov/ency/article/007322.htm>
- Health Topic: Bone Diseases
<https://medlineplus.gov/bonediseases.html>
- Health Topic: Craniofacial Abnormalities
<https://medlineplus.gov/craniofacialabnormalities.html>

Genetic and Rare Diseases Information Center

- Nager acrofacial dysostosis
<https://rarediseases.info.nih.gov/diseases/498/nager-acrofacial-dysostosis>

Educational Resources

- Boston Children's Hospital: Congenital Limb Defects
<https://www.childrenshospital.org/conditions-and-treatments/conditions/c/congenital-limb-defects>
- MalaCards: acrofacial dysostosis 1, nager type
https://www.malacards.org/card/acrofacial_dysostosis_1_nager_type

- Orphanet: Nager syndrome
https://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=245
- University of California San Francisco Medical Center
https://www.ucsfbenioffchildrens.org/conditions/nager_syndrome/

Patient Support and Advocacy Resources

- American Cleft Palate-Craniofacial Association (ACPA) Family Services
<https://cleftline.org/>
- Children's Craniofacial Association
<https://ccakids.org/>
- Foundation for Nager and Miller Syndromes
<https://fnms.org/>
- National Organization for Rare Disorders (NORD)
<https://rarediseases.org/rare-diseases/nager-syndrome/>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28Craniofacial+Dysostosis%5BMAJR%5D%29+AND+%28%28nager+syndrome%5BTIAB%5D%29+OR+%28nager+acrofacial+dysostosis+syndrome%5BTIAB%5D%29+OR+%28preaxial+acrofacial+dysostosis%5BTIAB%5D%29+OR+%28nager+acrofacial+dysostosis%5BTIAB%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+3600+days%22%5Bdp%5D>

Catalog of Genes and Diseases from OMIM

- ACROFACIAL DYSOSTOSIS 1, NAGER TYPE
<http://omim.org/entry/154400>

Sources for This Summary

- Bernier FP, Caluseriu O, Ng S, Schwartzenruber J, Buckingham KJ, Innes AM, Jabs EW, Innis JW, Schuette JL, Gorski JL, Byers PH, Andelfinger G, Siu V, Lauzon J, Fernandez BA, McMillin M, Scott RH, Racher H; FORGE Canada Consortium, Majewski J, Nickerson DA, Shendure J, Bamshad MJ, Parboosingh JS. Haploinsufficiency of SF3B4, a component of the pre-mRNA spliceosomal complex, causes Nager syndrome. *Am J Hum Genet.* 2012 May 4;90(5):925-33. doi: 10.1016/j.ajhg.2012.04.004. Epub 2012 Apr 26.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/22541558>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3376638/>
- Cassina M, Cerqua C, Rossi S, Salviati L, Martini A, Clementi M, Trevisson E. A synonymous splicing mutation in the SF3B4 gene segregates in a family with highly variable Nager syndrome. *Eur J Hum Genet.* 2017 Feb;25(3):371-375. doi: 10.1038/ejhg.2016.176. Epub 2016 Dec 14.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/27966544>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5315512/>

- Couyoumjian CA, Treadwell MC, Barr M. Prenatal sonographic diagnosis of Nager acrofacial dysostosis with unilateral upper limb involvement. *Prenat Diagn.* 2008 Oct;28(10):964-6. doi: 10.1002/pd.2074.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/18821720>
- Czeschik JC, Voigt C, Alanay Y, Albrecht B, Avci S, Fitzpatrick D, Goudie DR, Hehr U, Hoogeboom AJ, Kayserili H, Simsek-Kiper PO, Klein-Hitpass L, Kuechler A, López-González V, Martin M, Rahmann S, Schweiger B, Splitt M, Wollnik B, Lüdecke HJ, Zeschnigk M, Wieczorek D. Clinical and mutation data in 12 patients with the clinical diagnosis of Nager syndrome. *Hum Genet.* 2013 Aug; 132(8):885-98. doi: 10.1007/s00439-013-1295-2. Epub 2013 Apr 9.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/23568615>
- Halonen K, Hukki J, Arte S, Hurmerinta K. Craniofacial structures and dental development in three patients with Nager syndrome. *J Craniofac Surg.* 2006 Nov;17(6):1180-7.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/17119427>
- Herrmann BW, Karzon R, Molter DW. Otologic and audiological features of Nager acrofacial dysostosis. *Int J Pediatr Otorhinolaryngol.* 2005 Aug;69(8):1053-9. Epub 2005 Mar 19.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/16005346>
- Ho AS, Aleshi P, Cohen SE, Koltai PJ, Cheng AG. Airway management in Nager Syndrome. *Int J Pediatr Otorhinolaryngol.* 2008 Dec;72(12):1885-8. doi: 10.1016/j.ijporl.2008.09.007. Epub 2008 Oct 22.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/18947886>
- Petit F, Escande F, Jourdain AS, Porchet N, Amiel J, Doray B, Delrue MA, Flori E, Kim CA, Marlin S, Robertson SP, Manouvrier-Hanu S, Holder-Espinasse M. Nager syndrome: confirmation of SF3B4 haploinsufficiency as the major cause. *Clin Genet.* 2014 Sep;86(3):246-51. doi: 10.1111/cge.12259. Epub 2013 Sep 12.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/24003905>

Reprinted from Genetics Home Reference:
<https://ghr.nlm.nih.gov/condition/nager-syndrome>

Reviewed: August 2017

Published: August 17, 2020

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services